



ALUMINUM Wheels





Commercial Aluminum Wheels

*Discover unmatched product, service,
and a commitment to keeping you on the
road safe and smooth.*



Truck Wheels



Bus Wheels



Light Truck
Wheels



Trailer Wheels



Call Us
+90 533 248 6908
+971 58 504 2597



Our Location
Meydan Grandstand,
6th floor, Meydan Road
Nad Al Sheba, Dubai - U.A.E.

European Vehicles

Rimconn PN	Wheel Size	Offset / Inset (ET) (mm)	Center Hole Dia (mm)	PCD (mm)	Number of Stud Holes	Bolt Hole Dia. (mm)	Load Capacity (kg)
RCAL00106	16x5.5J	119	164	225	6	26	1320
RCAL00008	16x6.5	50	92.3	139.7	6	19	1215
RCAL00009	17.5x5.25	115	150	208	5	32.5	1710
RCAL00010		115	161.2	205	6	21	1710
RCAL00011		115	146	203.2	5	32.5	1750
RCAL00012		115	146	203.2	5	29	1750
RCAL00014	17.5x6.00	133	176	225	10	26	2500
RCAL00015		133	161	205	6	26.75	2500
RCAL00016		133	202	245	6	26.75	2500
RCAL00017		133	161	205	6	21	2500
RCAL00019		133	161	202.25	6	26.75	2500
RCAL00020		105 ET	150	208	5	32.5	1750
RCAL00108		135	176	225	10	26.75	1750
RCAL00109		127	160	205	6	21	1750
RCAL00110		127	161	205	6	21	1815
RCAL00114		141	221	275	8	24.5	2500
RCAL00115	17.5x6.75	141	176	225	8	26.75	2500
RCAL00021	19.5x6.75	140	221	275	8	32.5	2500
RCAL00023		140	221	275	8	30	2500
RCAL00025		140	221	275	8	24	2500
RCAL00027		147	221.2	275	8	26	2500
RCAL00037	19.5x7.50	155	176	225	10	24	3000
RCAL00029		119	221	275	8	24	3000
RCAL00031		115	221	275	8	30	3000
RCAL00032		115	221	275	8	32.5	3000
RCAL00034		155	221	275	8	26	3300
RCAL00035		155	221	275	8	24	3000
RCAL00036		155	221	275	8	32.5	3000
RCAL00038		155	221	275	8	30	3000
RCAL00039		155	221	275	8	24	3000
RCAL00033		155	221	275	8	26	3300
RCAL00118		156	221	275	10	24.5	3000
RCAL00119		156	221	275	10	32.5	3000
RCAL00040	22.5x7.50	162	221	285	8	32.5	3520
RCAL00041		162	214	275	8	32.5	3520
RCAL00042		145	221	275	8	32.5	3520
RCAL00043		162	281	335	10	26	3550
RCAL00050	22.5x8.25	165	221	285	8	32.5	3650
RCAL00046		165	281	335	10	26	3650
RCAL00053		165	281	335	10	32.5	3650
RCAL00135		165	281	335	10	26.75	3650
RCAL00066		167	176	255	10	26	3550
RCAL00147		167	222	285	10	32.5	3650
RCAL00058		167	281	335	10	26	3750
RCAL00059		167	281	335	10	32.5	3750
RCAL00133		167	281	335	10	26.5	3650
RCAL00152		167	281	335	10	26.75	3650
RCAL00134		168	281	335	10	26.5	3650
RCAL00151		168	281	335	10	32.5	3650
RCAL00067		169	221	285	8	32.5	3550
RCAL00068		169	221	285	8	26.75	3550
RCAL00069		169	221	285	8	26.75	3550

European Vehicles

Rimconn PN	Wheel Size	Offset / Inset (ET) (mm)	Center Hole Dia (mm)	PCD (mm)	Number of Stud Holes	Bolt Hole Dia. (mm)	Load Capacity (kg)
RCAL00157	22.5x9.00	106	281	335	10	26.75	4125
RCAL00073		137	281	335	10	26	4080
RCAL00074		175	281	335	10	26	4050
RCAL00075		175	281	335	10	32.5	4125
RCAL00077		175	281	335	10	26	4125
RCAL00158		175	281	335	10	26.75	4125
RCAL00156		176	281	335	10	26.75	4125
RCAL00166		176	281	335	10	32.5	4125
RCAL00154		178	281	335	10	26.75	4125
RCAL00070		114 ET	281	335	10	26	4080
RCAL00072		114 ET	281	335	10	32.5	4080
RCAL00153		176.5	281	335	10	26.75	4125
RCAL00164		176.5	281	335	10	32.5	4125
RCAL00094	22.5x11.75	0 ET	221	275	8	26	5000
RCAL00083		124 ET	281	335	10	26	5000
RCAL00084		121 ET	281	335	10	32.5	5000
RCAL00085		120 ET	281	335	10	26	5000
RCAL00087		120 ET	281	335	10	32.5	5000
RCAL00089		132 ET	281	335	10	26	5000
RCAL00091		0 ET	281	335	10	32.5	5000
RCAL00092		0 ET	281	335	10	26	5000
RCAL00095		12 ET	281	335	10	26	5000
RCAL00096		12 ET	281	335	10	32.5	4700
RCAL00120		24	281	335	10	26.75	4510
RCAL00122		144	281	335	10	26.75	5000
RCAL00123		24	281	335	10	26.75	5000
RCAL00127		144	281	335	10	32.5	5000
RCAL00128		24	281	335	10	32.5	5000
RCAL00097	22.5x12.25	120 ET	281	335	10	26	5150
RCAL00098		120 ET	281	335	10	32.5	5150
RCAL00100	22.5x13.00	14 ET	281	335	10	26	5800
RCAL00129		15	281	335	10	26	5200
RCAL00130	22.5x14.00	15	281	335	10	26	5200



American Vehicles

Rimconn PN	Wheel Size	Offset / Inset (ET) (mm / Inches)	Center Hole Dia (mm / Inches)	PCD (mm / Inches)	Number of Stud Holes	Bolt Hole Dia (mm / Inches)	Load Capacity (kg / Lbs)
RCAL00107	16x5.5K	118.5 / 4.67	164 / 6.46	222.25 / 8.75	6	24.5 / 0.96	1320 / 2904
RCAL00013	17.5x6.00	135 / 5.31	164 / 6.46	222.25 / 8.75	6	32.5 / 0.75	1750 / 3850
RCAL00018		133 / 5.24	164 / 6.46	222.25 / 8.75	6	30 / 0.82	2500 / 5500
RCAL00111		128 / 5.04	161 / 6.34	222.25 / 8.75	6	32.5 / 0.75	1815 / 3993
RCAL00112		135 / 5.31	164 / 6.46	222.25 / 8.75	10	32.5 / 0.75	2500 / 5500
RCAL00113		135 / 5.31	164 / 6.46	222.25 / 8.75	6	32.5 / 0.75	1750 / 3850
RCAL00001		141 / 5.55	221.1 / 8.70	275 / 10.83	8	24 / 1.02	2725 / 5995
RCAL00116	17.5x6.75	141 / 5.55	164 / 6.46	222.25 / 8.75	8	32.5 / 0.75	2500 / 5500
RCAL00117		21 / 0.83	121 / 4.76	165.1 / 6.5	10	17.4 / 1.41	2745 / 6039
RCAL00022		140 / 5.51	164 / 6.46	222.25 / 8.75	6	32.5 / 0.75	2500 / 5500
RCAL00024		140 / 5.51	221 / 8.70	278.75 / 10.97	8	32.5 / 0.75	2500 / 5500
RCAL00002	19.5x7.50	159 / 6.26	220.1 / 8.67	285.75 / 11.25	10	26 / 0.94	3130 / 6886
RCAL00003	22.5x8.25	168 / 6.61	220 / 8.66	285.75 / 11.25	10	26 / 0.94	3360 / 7392
RCAL00056		168 / 6.61	220 / 8.66	285.75 / 11.25	10	26 / 0.94	3650 / 8030
RCAL00057		165 / 6.50	220 / 8.66	285.75 / 11.25	10	26 / 0.94	3550 / 7810
RCAL00063		169 / 6.65	220 / 8.66	285.75 / 11.25	10	26 / 0.94	3550 / 7810
RCAL00065		167 / 6.57	220 / 8.66	285.75 / 11.25	10	26 / 0.94	3550 / 7810
RCAL00141		169 / 6.65	220 / 8.66	285.75 / 11.25	10	26 / 0.94	3650 / 8030
RCAL00146		168.5 / 6.63	220.1 / 8.67	285.75 / 11.25	8	26 / 0.94	3650 / 8030
RCAL00138		168.5 / 6.63	221.1 / 8.70	285.75 / 11.25	10	30 / 0.82	3650 / 8030
RCAL00144		168 / 6.61	221.1 / 8.70	285.75 / 11.25	8	30 / 0.82	3650 / 8030
RCAL00064		169 / 6.65	221 / 8.70	285.75 / 11.25	10	31 / 0.79	3550 / 7810
RCAL00148		168.5 / 6.63	220.1 / 8.67	285.75 / 11.25	10	24.5 / 1.00	3650 / 8030
RCAL00168		176.5 / 6.95	220.1 / 8.67	285.75 / 11.25	10	30.5 / 0.80	4535 / 9977
RCAL00139		168.5 / 6.63	220.1 / 8.67	285.75 / 11.25	10	26.75 / 0.92	3650 / 8030
RCAL00142		169.5 / 6.67	220.1 / 8.67	285.75 / 11.25	10	26.75 / 0.92	3650 / 8030
RCAL00145		169 / 6.65	220.1 / 8.67	285.75 / 11.25	8	26.75 / 0.92	3650 / 8030
RCAL00161		176.5 / 6.95	220.1 / 8.67	285.75 / 11.25	10	26.75 / 0.92	4535 / 9977
RCAL00137		168.5 / 6.63	222 / 8.74	285.75 / 11.25	10	32.5 / 0.75	3650 / 8030
RCAL00004	22.5x9.00	177 / 6.97	220.1 / 8.67	285.75 / 11.25	10	26 / 0.94	4125 / 9075
RCAL00079		175 / 6.89	281.2 / 11.07	285.75 / 11.25	10	26 / 0.94	4000 / 8800
RCAL00080		175 / 6.89	220 / 8.66	285.75 / 11.25	10	26 / 0.94	4080 / 8976
RCAL00082		176 / 6.93	220.1 / 8.67	285.75 / 11.25	10	26 / 0.94	4550 / 10010
RCAL00167		106 / 4.17	221.1 / 8.70	285.75 / 11.25	10	30.5 / 0.80	4510 / 9922
RCAL00160		106 / 4.17	220.1 / 8.67	285.75 / 11.25	10	26.75 / 0.92	4125 / 9075
RCAL00162		106 / 4.17	221.1 / 8.70	285.75 / 11.25	10	26.75 / 0.92	4125 / 9075
RCAL00163		176.5 / 6.95	220.1 / 8.67	285.75 / 11.25	10	26.75 / 0.92	4545 / 9999
RCAL00081		175 / 6.89	220.1 / 8.67	285.75 / 11.25	10	32.5 / 0.75	4000 / 8800
RCAL00088	22.5x11.75	120 / 4.72	220.1 / 8.67	285.75 / 11.25	10	26 / 0.94	5000 / 11000
RCAL00093		0 / 0 ET	220.1 / 8.67	285.75 / 11.25	10	26 / 0.94	5000 / 11000
RCAL00124		146 / 5.75	220.1 / 8.67	285.75 / 11.25	10	26.75 / 0.92	4510 / 9922
RCAL00005	22.5x12.25	98.55 / 3.88	221.6 / 8.72	285.75 / 11.25	10	30.73 / 0.80	5398 / 11876
RCAL00099		120 / 4.72 ET	220 / 8.66	285.75 / 11.25	10	26 / 0.94	5150 / 11330
RCAL00101	22.5x13.00	14 / 0.55 ET	220 / 8.66	285.75 / 11.25	10	26 / 0.94	5800 / 12760
RCAL00102	22.5x14.00	51 / 2.01 ET	220 / 8.66	285.75 / 11.25	10	26 / 0.94	5800 / 12760
RCAL00131		25.4 / 1.00	220.1 / 8.67	285.75 / 11.25	10	26 / 0.94	5800 / 12760
RCAL00132		50.8 / 2.00	220.1 / 8.67	285.75 / 11.25	10	26 / 0.94	5800 / 12760
RCAL00007	24.5x8.25	168 / 6.61	220.1 / 8.67	285.75 / 11.25	10	26 / 0.94	3360 / 7392
RCAL00103		167 / 6.57	220.1 / 8.67	285.75 / 11.25	10	26.75 / 0.92	3650 / 8030
RCAL00104		167 / 6.57	220.1 / 8.67	285.75 / 11.25	10	31 / 0.79	3650 / 8030
RCAL00105		167 / 6.57	221 / 8.70	285.75 / 11.25	10	31 / 0.79	3650 / 8030
RCAL00170		169 / 6.65	221 / 8.70	285.75 / 11.25	10	30 / 0.82	3650 / 8030
RCAL00171		169 / 6.65	220.1 / 8.67	285.75 / 11.25	10	26.75 / 0.92	3650 / 8030
RCAL00172		169 / 6.65	220.1 / 8.67	285.75 / 11.25	10	26.75 / 0.92	3650 / 8030
RCAL00173		169 / 6.65	220.1 / 8.67	285.75 / 11.25	10	26.75 / 0.92	3650 / 8030



KNOWLEDGE THAT CONNECTS!



www.rimconn.com