




Rimconn

MINING & CONSTRUCTION

Wheels



www.rimconn.com



Mining & Construction ***Steel Wheels***

*Discover unmatched product, service,
and a commitment to keeping you on the
field durable, efficient and less down time.*



Mining Truck
Wheels



Wheel Loader
Wheels



Underground Mining
Wheels



Motor Grader
Wheels



Call Us
+90 533 248 6908
+971 58 504 2597



Our Location
Meydan Grandstand,
6th floor, Meydan Road
Nad Al Sheba, Dubai - U.A.E.

Mining & Construction Wheels



RIMCONN PN	WHEEL SIZE	WHEEL TYPE	TYRE SIZE	NUMBER OF STUD HOLES	PCD (mm)	EQUIPMENT BRAND & MODEL
TELEHANDLER						
RCST03227	24xW14	1PC	15.5/80-24	8	275	CAT TH406/TH407
RCST03242	25-11.25/2"	5PC	16.00-25	16	335	CAT AH46
RCST03247	25-12.00/1.3"	3PC	15.5R25	8	275	CAT TH414
RCST03322	35-15.00/3"	5PC	21.00R35	12	-	CAT V925
BACKHOE LOADER						
RCST03228	26xDW16	1PC	18.4-26	10	335	CAT 428E/432E/F
RCST03233	28xW15	1PC	16.9-28	10	335	CAT 428E/432E/F
RCST03232		1PC	16.9-28	8	203.2	CAT 416-432 BCD
RCST03234		1PC	16.9-28	10	335	CAT 430E/432E/442E/444E
RCST03235		1PC	16.9-28	10	335	CAT 438C
COMPACTOR						
RCST03229	26xDW20	1PC	23.1-26	8	203.2	CAT CP-563C
RCST03230	26xDW20	1PC	23.1-26	10	335	CAT CS563E
RCST03231	26xDW20	1PC	23.1-26	12	425	CAT CS663E
RCST03289	25-19.50/2.5"	5PC	23.5R25	8	203.2	CAT CP-663E
RCST03290	25-19.50/2.5"	5PC	23.5R25	10	335	CAT CS563E
GRADER						
RCST03236	24-8.00	3PC	10.00-24	10	285.75	CAT 120/130/140G
RCST03237	24-10.00	3PC	14.00-24	10	285.75	CAT 120/130/140 G/H/M
RCST03238		3PC	14.00-24	8	412	CAT 120M
RCST03239		3PC	14.00-24	10	285.75	CAT 140G
RCST03243		3PC	15.5R25	10	285.75	CAT 12G/H
RCST03248	25-12.00/1.3"	3PC	17.5R25	10	285.75	CAT 12/140/150/160G/H/M
RCST03249		3PC	17.5R25	10	285.75	CAT 12/140/150/160G/H/M
RCST03251		3PC	17.5R25	10	285.75	CAT 140G/H - 160G/H
RCST03252		3PC	17.5R25	10	285.75	CAT 140H
RCST03253		3PC	17.5R25	8	410	CAT 140M
RCST03254		3PC	17.5R25	8	410	CAT 143H
RCST03255		3PC	17.5R25	8	412	CAT 143M
RCST03272		25-17.00/1.7"	3PC	20.5R25	10	285.75
RCST03281	25-19.50/2.5"	5PC	23.5R25	10	335	CAT 16G/H/M
RCST03282		5PC	23.5R25	10	335	CAT 16G/H/M - 18M
RCST03294		5PC	23.5R25	16	400	CAT RM300
RCST03305	25-22.00/3"	5PC	26.5R25	24	455	CAT RM500B
RCST03313	29-25.00/3.5"	5PC	29.5R29	24	432	CAT 24- 24G/24H/24M
SCRAPPER						
RCST03296	25-22.00/3"	5PC	26.5R25	20	515	CAT 615C
RCST03306	25-25.00/3.5"	5PC	29.5R25	20	515	CAT 615C
UNDERGROUND MINING						
RCST03324	37-18.00 Press On	5PC	55x22" SOLID TIRE	30	500	CAT SH640 - BUCYRUS
RCST03325	37-25.00 Press On	5PC	SOLID TIRE	33	508	CAT SH60 - BUCYRUS
RCST03326	37-26.00 Press On	5PC	SOLID TIRE	38	605	CAT SH660 - BUCYRUS
RCST03328	40-20.00 Press On	5PC	SOLID TIRE	36	508	CAT FBL
RCST03329	40-25.00 Press On	5PC	SOLID TIRE	38	605	CAT SH660

Mining & Construction Wheels

RIMCONN PN	WHEEL SIZE	WHEEL TYPE	TYRE SIZE	NUMBER OF STUD HOLES	PCD (mm)	EQUIPMENT BRAND & MODEL
WHEEL LOADER						
RCST03244	25-12.00/1.3"	3PC	15.5R25	8	457	CAT 910
RCST03245		3PC	15.5R25	8	457	CAT 920
RCST03246		3PC	15.5R25	10	200	CAT IT12B
RCST03256	25-14.00/1.5"	3PC	17.5R25	10	335	CAT 528
RCST03257		3PC	17.5R25	8	200	CAT 914G
RCST03259		3PC	17.5R25	16	250	CAT 924G/H
RCST03260		3PC	17.5R25	10	458	CAT 926/926E
RCST03261		3PC	17.5R25	16	250	CAT 928F
RCST03263		3PC	17.5R25	16	250	CAT 930G/H
RCST03264		3PC	17.5R25	10	458	CAT 936E
RCST03265		3PC	17.5R25	12	515	CAT 950
RCST03266		3PC	17.5R25	8	200	CAT IT14G
RCST03267		3PC	17.5R25	10	458	CAT IT18/B
RCST03268		3PC	17.5R25	16	250	CAT IT24
RCST03269		3PC	17.5R25	10	458	CAT IT28B
RCST03270		3PC	17.5R25	16	250	CAT IT28F/G
RCST03273	25-17.00/1.7"	3PC	20.5R25	16	250	CAT 924GZ/928/930F/G/H - IT28/B
RCST03274		3PC	20.5R25	16	250	CAT 924K
RCST03275		3PC	20.5R25	16	250	CAT 930K
RCST03276		3PC	20.5R25	12	515	CAT 936
RCST03277		3PC	20.5R25	16	275	CAT 938F/G - IT38/G
RCST03278		3PC	20.5R25	16	285	CAT 938H / IT38H
RCST03279		3PC	20.5R25	16	425	CAT 938K
RCST03280	25-19.50/2.5"	5PC	23.5R25	16	425	CAT 938K
RCST03284		5PC	23.5R25	16	515	CAT 950B/E
RCST03285		5PC	23.5R25	20	310	CAT 950G/H/M - 952/962H - IT62G/H
RCST03286		5PC	23.5R25	20	310	CAT 962K
RCST03287		5PC	23.5R25	20	375	CAT 966D/E/F
RCST03288		5PC	23.5R25	20	515	CAT 966D/E/F
RCST03293		5PC	23.5R25	12	422	CAT SS250
RCST03295	25-22.00/3"	5PC	26.5R25	20	310	CAT 525B
RCST03300		5PC	26.5R25	20	375	CAT 966D/E/F/H/M
RCST03301		5PC	26.5R25	20	515	CAT 966D/E/F
RCST03302		5PC	26.5R25	20	375	CAT 972G/H/M
RCST03303		5PC	26.5R25	23	483	CAT 980B/C/F
RCST03310	25-25.00/3.5"	5PC	29.5R25	23	483	CAT 980B/C/F
RCST03311		5PC	29.5R25	26	485	CAT 980G/H/K/L/M
RCST03312		5PC	29.5R25	26	485	CAT 824H
RCST03314		5PC	29.5R29	32	582	CAT 982M
RCST03316	29-27.00/3.5"	5PC	33.25R29	32	582	CAT 982M
RCST03319	33-28.00/3.5"	5PC	35/65R33	40	705	CAT 988B/C/F - 834B
RCST03320		5PC	35/65R33	38	693	CAT 988G/H/K
RCST03321		5PC	35/65R33	38	693	CAT 988G/H/K (HEAVY DUTY)
RCST03327	39-32.00/4"	5PC	45/65R39	48	826	CAT 990/990H/844/844H
RCST03330	45-36.00/4.5"	5PC	45/65R45	50	826	CAT 992B/C/D/F
RCST03331		5PC	45/65R45	50	973	CAT 992G/H/K
RCST03333	49-19.50/4"	5PC	27.00R49	48	-	CAT 992G
RCST03339	51-40.00/4.5"	5PC	50/65R51	48	-	CAT 993K
RCST03349	57-36.00/6"	5PC	50/80-57	61	1230	CAT 994/994H
RCST03350	57-44.00/6"	5PC	55/80R57	61	1230	CAT 994/994H
ARTICULATED DUMP TRUCK						
RCST03271	25-17.00/2"	5PC	20.5R25	20	515	CAT D25D
RCST03283	25-19.50/2.5"	5PC	23.5R25	20	515	CAT 725/730
RCST03291		5PC	23.5R25	12	515	CAT D250E
RCST03292		5PC	23.5R25	12	515	CAT D300D
RCST03297		5PC	26.5R25	20	515	CAT 730
RCST03298	25-22.00/3"	5PC	26.5R25	24	515	CAT 735
RCST03299		5PC	26.5R25	27	515	CAT 735B
RCST03304		5PC	26.5R25	20	515	CAT D350D
RCST03307		5PC	29.5R25	23	515	CAT 740/D400E SERIES 2
RCST03308	25-25.00/3.5"	5PC	29.5R25	27	515	CAT 740B -745C - 367
RCST03309		5PC	29.5R25	27	515	CAT 745C

Mining & Construction Wheels

RIMCONN PN	WHEEL SIZE	WHEEL TYPE	TYRE SIZE	NUMBER OF STUD HOLES	PCD (mm)	EQUIPMENT BRAND & MODEL
MINING HAUL TRUCKS						
RCST03317	33-13.00/2.5"	5PC	18.00R33	12	660	CAT 769- 770- 771-772 B/C/D/G
RCST03318	33-15.00/3.0	5PC	18.00R33	12	660	CAT 772G
RCST03323	35-17.00/3.5"	5PC	24.00R35 (E4)	14	-	CAT 773B/C/D/E-775D/F/G
RCST03332	49-19.50/4"	5PC	27.00R49	20	1035	CAT 777C
RCST03334	51-22.00/4.5"	5PC	30.00R51	20	-	CAT 776/777F
RCST03335	51-24.00/5"	7PC	33.00R51	20	-	CAT 776
RCST03336		5PC	33.00R51	20	-	CAT 776
RCST03337		5PC	33.00R51	53	-	CAT 785
RCST03338	51-26.00/5"	5PC	36.00R51	53	-	CAT 785
RCST03340	57-29.00/6"	5PC	37.00R57- 40.00R57- 42/90R57	53	-	CAT 789
RCST03341		6PC	37.00R57- 40.00R57- 42/90R57	53	-	CAT 789
RCST03342		7PC	37.00R57- 40.00R57- 42/90R57	53	-	CAT 789
RCST03343		5PC	40.00R57- 46/90R57	68	-	CAT 793D/F
RCST03344		6PC	40.00R57- 46/90R57	68	-	CAT 793D/F
RCST03345		7PC	40.00R57- 46/90R57	68	-	CAT 793D/F
RCST03346	57-32.00/6"	5PC	50/80R57- 40.00R57- 46/90R57	68	-	CAT 793D/F
RCST03347		6PC	50/80R57- 40.00R57- 46/90R57	68	-	CAT 793D/F
RCST03348		7PC	50/80R57- 40.00R57- 46/90R57	68	-	CAT 793D/F
RCST03353	63-36.00/5"	7PC	53/80R63	50	-	CAT 794AC
RCST03354	63-41.00/5"	6PC	56/80R63	50	-	CAT 795AC
RCST03355		6PC	56/80R63	50	-	CAT MT5300
RCST03356	63-44.00/5"	6PC	59/80R63	54	-	CAT 797



Mining & Construction Wheels

KOMATSU

RIMCONN PN	WHEEL SIZE	WHEEL TYPE	TYRE SIZE	NUMBER OF STUD HOLES	PCD (mm)	EQUIPMENT BRAND & MODEL
BACKHOE LOADER						
RCST03363	18xW11	1PC	12.5/80-18	8	275	KOMATSU WB97R-5
RCST03364		1PC	12.0-18	8	275	KOMATSU WA65-5
RCST03365	24xW15	1PC	16.9-24	10	335	KOMATSU WB97R-5
RCST03366	28xW15	1PC	16.9-28- 420/85R28	10	335	KOMATSU WB97R-5 / WB97S-5
GRADER						
RCST03387	24-10.00	3PC	14.00R24	10	285.75	KOMATSU GD625A/-2
RCST03388		3PC	14.00R24	10	285.75	KOMATSU GD655-3
RCST03389		3PC	14.00R24	10	285.75	KOMATSU GD655-5
RCST03390	25-14.00/1.5"	3PC	17.5R25	10	285.75	KOMATSU GD655-5
RCST03391		3PC	17.5R25	10	285.75	KOMATSU GD555-1-3/GD655-1-3-5
RCST03392		3PC	17.5R25	12	245	KOMATSU 180
RCST03393	25-19.50/2.5"	5PC	23.5R25	10	335	KOMATSU GD825A/-2
WHEEL LOADER						
RCST03405	25-12.00/1.3"	3PC	15.5R25	12	210	KOMATSU WA120/-1/-3
RCST03400	25-14.00/1.5"	3PC	17.5R25	12	210	KOMATSU WA180-3
RCST03401		3PC	17.5R25	12	245	KOMATSU WA200-5
RCST03398	25-17.00/1.7"	3PC	20.5R25	12	245	KOMATSU WA250PT-5H/WA200PZ-6/WA250PZ-6
RCST03399		3PC	20.5R25	15	254	KOMATSU WA320/-5 /-8 /PZ-6 W/SUR
RCST03402		3PC	20.5R25	12	425	KOMATSU WA270-3
RCST03403		3PC	20.5R25	15	254	KOMATSU WA320
RCST03404		3PC	20.5R25	18	320	KOMATSU WA350-1E
RCST03406		5PC	23.5R25	18	320	KOMATSU WA380-3 / WA380-6 / WA380-8
RCST03407	25-19.50/2.5"	5PC	23.5R25	21	355	KOMATSU WA430-6
RCST03408		5PC	23.5R25	25	494	KOMATSU WA400-1
RCST03409		5PC	26.5R25	21	355	KOMATSU WA430-6
RCST03410	25-22.00/3"	5PC	26.5R25	24	405	KOMATSU WA470-5/6/7- WA480 1-6
RCST03411		5PC	26.5R25	24	405	KOMATSU WA470-6H
RCST03412		5PC	26.5R25	25	493	KOMATSU WA470
RCST03413		5PC	26.5R25	31	490	KOMATSU WA500-3
RCST03414	25-25.00/3.5"	5PC	29.5R25	27	481	KOMATSU WA500-6-7-8
RCST03415		5PC	29.5R25	31	490	KOMATSU WA500-3
RCST03416	33-28.00/3.5"	5PC	35/65R33	38 or 58	660	KOMATSU WA600-6 /-8
RCST03417	45-36.00/4.5"	5PC	45/65R45	53	-	KOMATSU WA/WD800/900
RCST03419	57-47.00/6"	5PC	60/80R57	64	-	KOMATSU WE1850 (LETOURNEAU L1850)
RCST03418		5PC	60/80R57	61	-	KOMATSU WA1200-3
RCST03422	57-52.00/6"	5PC	65/65-57	61	-	KOMATSU WA1200-3
RCST03423	57-60.00/6"	5PC	70/70-57	64	-	KOMATSU WE2350 (LETOURNEAU L2350)
ARTICULATED DUMP TRUCK						
RCST03394	25-19.50/2.5"	5PC	23.5R25	15	460	KOMATSU HM300/-2
RCST03395	25-22.00/3"	5PC	26.5R25	15	460	KOMATSU HM300-3
RCST03396	25-25.00/3.5"	5PC	29.5R25	21	487	KOMATSU HM400 /-1 /-2
RCST03397	29-27.00/3.5"	5PC	875/65R29	21	487	KOMATSU HM400-3
MINING HAUL TRUCKS						
RCST03367	33-13.00/2.5"	5PC	18.00R33	12	660	KOMATSU HD325-5-6-7-8/405-7
RCST03371	35-15.00/3.0"	5PC	21.00R35	14	-	KOMATSU HD465/-3/-5/-6 - HD605
RCST03368	35-17.00/3.5"	5PC	24.00R35	14	705	KOMATSU HD465-7/ HD605-7/8
RCST03372		5PC	24.00R35	14	-	KOMATSU HD465/-3/-5/-6 - HD605
RCST03370	49-19.50/4"	5PC	27.00R49	20	1035	KOMATSU HD785-7
RCST03375	49-19.50/4" (Demountable)	5PC	27.00R49	-	-	KOMATSU 785-5
RCST03369	51-24.00/5" (Demountable)	5PC	33.00R51	-	-	KOMATSU HD1500-8
RCST03373		5PC	33.00R51	-	-	KOMATSU HD1500-7
RCST03374		7PC	33.00R51	-	-	KOMATSU HD1500-7
RCST03377	51-26.00/5" (Demountable)	5PC	36.00R51	-	-	KOMATSU 630E
RCST03378	57-27.00/6" (Demountable)	5PC	37.00R57	-	-	KOMATSU 730E
RCST03379	57-29.00/6" (Demountable)	5PC	40.00R57	-	-	KOMATSU 830E
RCST03380	57-29.00/6"	5PC	37.00R57	71	-	KOMATSU 730E-8AC
RCST03381	57-29.00/6"	7PC	37.00R57	71	-	KOMATSU 730E-8AC
RCST03382	57-32.00/6"	5PC	40.00R57- 46/90R57- 50/80R57	52 or 71	-	KOMATSU 830E-5AC
RCST03383		7PC	40.00R57- 46/90R57- 50/80R57	52 or 71	-	KOMATSU 830E-5AC
RCST03384	63-36.00/5"	5PC	53/80R57	54	-	KOMATSU 930E-4
RCST03385		6PC	53/80R57	54	-	KOMATSU 930E-4
RCST03386		6PC	53/80R57	54	-	KOMATSU 930

Mining & Construction Wheels

HITACHI

RIMCONN PN	WHEEL SIZE	WHEEL TYPE	TYRE SIZE	NUMBER OF STUD HOLES	PCD (mm)	EQUIPMENT BRAND & MODEL
EXCAVATOR						
RCST03424	20-7.50	3PC	10.00-20	10	335	HITACHI ZX170W-5B
WHEEL LOADER						
RCST03425	25x13	1PC	15.5R25	12	210	HITACHI ZW120
RCST03426	25-17.00/1.7"	3PC	20.5R25	14	305	HITACHI LX120
RCST03427	25-22.00/3"	5PC	26.5R25	14	305	HITACHI LX230-3
RCST03428	25-14.00/1.5"	3PC	17.5R25	12	210	HITACHI ZW120
RCST03429	25-17.00/1.7"	3PC	20.5R25	12	210	HITACHI ZW120
RCST03430		3PC	20.5R25	15	252	HITACHI ZW150
RCST03431		3PC	20.5R25	15	254	HITACHI ZW180-5B
RCST03432	25-19.50/2.5"	5PC	23.5R25	18	335	HITACHI ZW220-5B
RCST03433		5PC	23.5R25	20	370	HITACHI ZW250-5B
RCST03434		3PC	23.5R25	20	370	HITACHI ZW250-5B
RCST03435	25-22.00/3"	5PC	26.5R25	20	370	HITACHI ZW250-5
RCST03436		5PC	26.5R25	20	370	HITACHI ZW310
RCST03437		3PC	26.5R25	20	370	HITACHI ZW330-5B
RCST03438	33-28.00/3.5"	5PC	35/65R33	32	580	HITACHI ZW550-5B
ARTICULATED DUMP TRUCK						
RCST03439	25-19.50/2.5"	3PC	23.5R25	12	425	HITACHI AH250D/AH300
RCST03440		5PC	23.5R25	12	425	HITACHI AH250D/AH300
RCST03441	25-22.00/3"	5PC	26.5R25	12	500	HITACHI AH400
RCST03442	25-25.00/3.5"	5PC	29.5R25	18	500	HITACHI AH500
RCST03443	29-27.00/3.5"	5PC	875/65R29	18	500	HITACHI AH500
MINING HAUL TRUCK						
RCST03444	57-29.00/6" (Demountable)	5PC	37.00R57 - 40.00R57- 46/90R57	-	-	HITACHI EH3500AC - 4000ACII - 4500
RCST03445		7PC	37.00R57 - 40.00R57- 46/90R57	-	-	HITACHI EH3500AC - 4000ACII - 4500
RCST03446	57-32.00/6" (Demountable)	5PC	40.00R57- 46/90R57	-	-	HITACHI EH3500AC - 4000ACII - 4500
RCST03447		7PC	40.00R57- 46/90R57	-	-	HITACHI EH3500AC - 4000ACII - 4500
RCST03448	63-38.00/5" (Demountable)	5PC	53/80R63	-	-	HITACHI EH5000III
RCST03449		7PC	53/80R63	-	-	HITACHI EH5000III



LIEBHERR

RIMCONN PN	WHEEL SIZE	WHEEL TYPE	TYRE SIZE	NUMBER OF STUD HOLES	PCD (mm)	EQUIPMENT BRAND & MODEL
CRANE						
RCST03512	24-10.00	4PC	14.00R24	24	425	LIEBHERR LHM1300
RCST03513	25-11.00/1.7"	3PC	445/95R25- 16.00R25	10	335	LIEBHERR LTM1500-8.1
RCST03514		3PC	445/95R25- 16.00R25	10	335	LIEBHERR 1080-1
RCST03515	25-17.00/1.7"	3PC	525/80R25- 20.5R25	10	335	LIEBHERR LTM 1200-5.1/1060-3.1
RCST03516		3PC	525/80R25- 20.5R25	10	335	LIEBHERR LTM 1250-5.1
RCST03517		3PC	525/80R25- 20.5R25	10	335	LIEBHERR LTM 1055
RCST03518		3PC	525/80R25- 20.5R25	10	335	LIEBHERR LTM 1055/3.2 / LTM1060/2
RCST03519		3PC	525/80R25- 20.5R25	10	335	LIEBHERR LTM 1140
RCST03520		3PC	525/80R25- 20.5R25	10	335	LIEBHERR LTM 1100-2
RCST03521		3PC	525/80R25- 20.5R25	10	335	LIEBHERR LTM 1070-4.2
RCST03522		3PC	525/80R25- 20.5R25	10	335	LIEBHERR LTM 1040-2.1
RCST03523		3PC	525/80R25- 20.5R25	10	335	LIEBHERR LTM 1030-2
RCST03524		3PC	525/80R25- 20.5R25	10	335	LIEBHERR LTM 1100-4.1
WHEEL LOADER						
RCST03450	25-17.00/1.7"	3PC	20.5R25	10	335	LIEBHERR L524
RCST03451		3PC	20.5R25	12	425	LIEBHERR L538
RCST03452	25-19.50/2.5"	3PC	23.5R25	16	425	LIEBHERR 556
RCST03453	25-22.00/3"	5PC	26.5R25	20	425	LIEBHERR 576
RCST03454	25-25.00/3.5"	5PC	29.5R25	24	508	LIEBHERR L586
MINING HAUL TRUCK						
RCST03455	63-41.00/5"	5PC	56/80R63	58	-	LIEBHERR T282-C (FRONT)
RCST03456		5PC	56/80R63	58	-	LIEBHERR T282-C (REAR)
RCST03457		7PC	56/80R63	58	-	LIEBHERR T282-C (REAR)



TEREX®

RIMCONN PN	WHEEL SIZE	WHEEL TYPE	TYRE SIZE	NUMBER OF STUD HOLES	PCD (mm)	EQUIPMENT BRAND & MODEL
ARTICULATED DUMP TRUCK						
RCST03502	25-22.00/3"	5PC	26.5R25	23	502	TEREX TA35
RCST03499	25-19.50/2.5"	3PC	23.5R25	12	425	TEREX TA300
RCST03500		5PC	23.5R25	12	425	TEREX TA300
RCST03501	25-22.00/3"	5PC	26.5R25	12	425	TEREX TA300-9/10
RCST03503	29-27.00/3.5"	5PC	875/65R29	19	500	TEREX TA400 - 9/10
MINING HAUL TRUCK						
RCST03504	51-24.00/5" (Demountable)	5PC	33.00R51	-	-	TEREX MT3300
RCST03505	51-26.00/5" (Demountable)	5PC	36.00R51	-	-	TEREX MT3300
RCST03506		5PC	36.00R51	-	-	TEREX MT3300-SPECIAL
RCST03507		7PC	36.00R51	-	-	TEREX MT3300
RCST03508	57-32.00/6" (Demountable)	5PC	40.00R57- 46/90R57	-	-	TEREX MT4400
RCST03509		7PC	40.00R57- 46/90R57	-	-	TEREX MT4400
RCST03510	63-41.00/5"	6PC	56/80R63	38	-	TEREX MT6300 (Optional)
RCST03511	63-44.00/5"	6PC	59/80R63	38	-	TEREX MT6300





KNOWLEDGE THAT CONNECTS!



www.rimconn.com