



AGRICULTURAL

Wheels



www.rimconn.com



Agricultural Steel Wheels

*Discover unmatched product, service,
and a commitment to keeping you on the
field safe, efficient and less down time.*



Tractor
Wheels



Combine Harvester
Wheels



Sprayer
Wheels



Implement
Wheels



Call Us
+90 533 248 6908
+971 58 504 2597



Our Location
Meydan Grandstand,
6th floor, Meydan Road
Nad Al Sheba, Dubai - U.A.E.

Agricultural Wheels						
Rimconn PN	Wheel Size	Offset / Inset (ET) (mm)	Center Hole Dia (mm)	PCD (mm)	Number of Stud Holes	Bolt Hole Dia. (mm)
RCST00576	9.00x15.3	ET (-) 12	161	205	6	21.5 / 27
RCST00574		ET (-) 15	161	205	5	21.5 / 27
RCST00597		ET (-) 17	127	165.1	5	18 / 23
RCST00568		ET (-) 20	161	205	6	21.5 / 27
RCST00592		ET (-) 20	117.8	152.4	6	18 / 23.5
RCST00563		ET (-) 25	110	160	5	18 / 23.5
RCST00527		ET (-) 30	161	205	6	21.5 / 27
RCST00552		ET (-) 30	94	140	5	14.5 / 21
RCST00570		ET (-) 30	161	205	6	21.5 / 27
RCST00554		ET (-) 35	161	205	6	21.5 / 27
RCST00543		ET (-) 40	161	205	6	21.5 / 27
RCST00549		ET (-) 43	161	205	6	21.5 / 27
RCST00598		ET (-) 5	161	205	6	21.5 / 27
RCST00589		ET (-) 50	110	160	5	18 / 23.5
RCST00590		ET (-) 50	117.5	178	5	21.5 / 27
RCST00579		ET (-) 60	100.5	140	6	18.5 / 24
RCST00573		ET (-) 90	100.5	140	6	18.5 / 24
RCST00529		ET 12	117.8	152.4	6	18 / 23.5
RCST00585		ET 12	95	140	5	18 / 23.5
RCST00586		ET 19	161	205	6	21.5 / 27
RCST00546		ET 25	161	205	6	21.5 / 27
RCST00581		ET 35	130	170	6	21.5 / 27
RCST00566		ET 40	161	205	6	21.5 / 27
RCST00532		ET 45	161	205	6	21.5 / 27
RCST00587		ET 50	95	140	5	18 / 23.5
RCST00547		ET 8	110	160	5	18 / 23.5
RCST00551		ET 80	161	205	6	21.5 / 27
RCST00541		ET 0	95	140	5	18 / 23.5
RCST00528		ET 0	110	114	5	15
RCST00542		ET 0	110	160	5	18 / 23.5
RCST00578		ET 0	125	180	8	21.5 / 27
RCST00533		ET 0	127	165.1	5	18 / 23
RCST00534		ET 0	135	175	5	20.5 / 26
RCST00571		ET 0	141	190	6	21.5 / 27
RCST00526		ET 0	161	205	6	21.5 / 27
RCST00535		ET 0	152.4	203.2	5	21.5 / 27
RCST00559		ET 0	152.4	215	8	18 / 23.5
RCST00584		ET 0	156	205	5	18 / 23.5
RCST00536		ET 0	161	205	6	21.5 / 27
RCST00577		ET 0	161	205	6	18.5 / 24
RCST00593		ET 0	163	222.3	6	32 / 38
RCST00560		ET 0	200	240	8	18 / 23.5
RCST00602	13.00x15.5	ET (-) 15	161	205	6	21.5 / 27
RCST00609		ET (-) 30	161	205	6	21.5 / 27
RCST00622		ET (-) 50	161	205	6	21.5 / 27
RCST00611		ET (-) 70	161	205	6	21.5 / 27
RCST00605		ET 0	161	205	6	21.5 / 27
RCST00627	13.00x15.5H2	ET (-) 15	161	205	6	21.5 / 27
RCST00637		ET (-) 40	161	205	6	21.5 / -
RCST00628		ET (-) 45	161	205	6	21.5 / 27
RCST00633		ET (-) 65	117.8	152.4	6	18
RCST00631		ET 0	161	205	6	21.5 / 27

Agricultural Wheels

Rimconn PN	Wheel Size	Offset / Inset (ET) (mm)	Center Hole Dia (mm)	PCD (mm)	Number of Stud Holes	Bolt Hole Dia. (mm)
RCST00640	4.50Ex16	ET (-) 32	135	175	5	20 / 25
RCST00645		ET 15	117.7	152.4	6	18 / 23.5
RCST00655		ET 20	110	153	5	14.5 / 21
RCST00639		ET 25	85	130	4	18 / 23.5
RCST00643		ET 40	66.6	112	5	18 / 23.5
RCST00644		ET 45	117.7	152.4	6	18 / 23.5
RCST00649		ET 45	95	140	5	18 / 23.5
RCST00648		ET 0	95	140	5	21.5
RCST00653		ET 0	103	140	5	18 / 23.5
RCST00659		ET (-) 1	101.7	139.7	5	16 / 19
RCST00661	5.50Fx16	ET (-) 15	95	140	5	18 / 23.5
RCST00666		ET 29	117.7	152.4	6	18 / 23.5
RCST00670		ET 3	161	205	6	21.5
RCST00675		ET 47	161	205	6	21.5 / 27
RCST00683		ET 55	117	152.4	6	18
RCST00680		ET 66	117.8	152.4	6	18
RCST00667		ET 0	101.7	139.7	5	16 / 19
RCST00672		ET 0	95	140	5	15.5
RCST00676		ET 4	160	205	6	19
RCST00684		ET 4	221	275	8	19
RCST00690	6.00Lx16	ET (-) 40	161	205	6	19
RCST00691		ET (-) 40	221	275	8	19
RCST00686		ET 36	117.7	152.4	6	18 / 23.5
RCST00685		ET 0	111	139.7	5	16.5 / 18.6
RCST00694	W7x16	ET 29	135	175	5	20 / 25
RCST00695		ET 0	161	205	6	21.5 / 27
RCST00696		ET (-) 15	152.4	203.2	8	17
RCST00707	W8x16	ET (-) 25	161	205	6	21.5 / 27
RCST00711		ET (-) 30	90	120	6	14
RCST00706		ET 10	117.8	152.4	6	18
RCST00727		ET 15	152.4	203.2	8	17
RCST00715		ET 150	94	140	5	18.5 / 23.5
RCST00714		ET 30	90	150	6	15
RCST00709		ET 35	117.8	152.4	6	16
RCST00718		ET 40	135	175	5	20 / 25
RCST00699		ET 73	101.7	139.7	5	16
RCST00700		ET 0	161	205	6	21.5 / 27
RCST00722		ET 0	200	240	8	21
RCST00723		ET 0	117.7	152.4	6	18.5 / 23.5
RCST00730	9.00x16	ET (-) 20	117.8	152.4	6	18 / 21.5
RCST00735		ET (-) 5	117.8	152.4	6	18
RCST00736		ET 15	102	162	6	18 / 25
RCST00729		ET 0	161	205	6	21.5 / 27
RCST00745	11x16	ET (-) 15	152.4	203.2	8	17
RCST00740		ET (-) 20	161	205	6	21.5 / 27
RCST00748		ET (-) 25	152.4	203.2	8	17
RCST00746		ET (-) 30	221	275	8	21.5 / 27
RCST00747		ET (-) 55	95	140	5	18 / 23.5
RCST00749		ET 15	161	205	6	21.5 / 27
RCST00738		ET 0	161	205	6	21.5 / 27
RCST00750	12x16	ET (-) 30	117.4	152.4	6	16
RCST00751		ET (-) 70	135.3	170	6	17.3

Agricultural Wheels

Rimconn PN	Wheel Size	Offset / Inset (ET) (mm)	Center Hole Dia (mm)	PCD (mm)	Number of Stud Holes	Bolt Hole Dia. (mm)
RCST00753	16.5x8.25	ET (-) 19	135	175	5	20 / 25
RCST00754		ET (-) 30	161	205	6	21.5 / 27
RCST00756		ET (-) 70	161	205	6	21.5 / 27
RCST00755		ET (-) 21	110	160	5	18.5 / 24
RCST00757		ET 20	93	140	10	16
RCST00761	16.5x9.75	ET (-) 159	230	275	8	24
RCST00760		ET (-) 22	95	140	6	17
RCST00758		ET (-) 35	161	205	6	21.5 / 27
RCST00765		ET (-) 61	165	222.25	6	32.2 / 37.5
RCST00762		ET 104	172	222.25	6	32.2 / 37.5
RCST00764		ET 27.5	152.4	203.2	8	16.5 / 23.9
RCST00759		ET 39	152.5	203.2	8	17
RCST00783	13.00x17	ET (-) 120	161	205	6	21.5 / 27
RCST00770		ET (-) 15	161	205	6	21.5 / 27
RCST00771		ET (-) 30	161	205	6	21.5 / 27
RCST00775		ET (-) 50	161	205	6	21.5 / 27
RCST00769		ET (-) 80	161	205	6	21.5 / 27
RCST00781		ET (-) 85	161	205	6	21.5 / 27
RCST00766		ET 0	161	205	6	21.5 / 27
RCST00773		ET 0	221	275	8	27 / 32
RCST00786		ET 0	117.4	152.4	6	18 / 23.5
RCST00814	16.00x17	ET (-) 10	221	275	8	27 / 32
RCST00819		ET (-) 100	161	205	6	21.5 / 27
RCST00830		ET (-) 15	161	205	6	21.5 / 27
RCST00799		ET (-) 20	221	275	8	21.5 / 27
RCST00805		ET (-) 20	161	205	6	21.5 / 27
RCST00813		ET (-) 30	221	275	8	27 / 32
RCST00825		ET (-) 30	161	205	6	21.5 / 27
RCST00787		ET (-) 35	221	275	8	21.5 / 27
RCST00791		ET (-) 35	161	205	6	21.5 / 27
RCST00837		ET (-) 35	161	205	6	21.5 / 27
RCST00829		ET (-) 50	221	275	8	21.5 / 27
RCST00804		ET (-) 60	161	205	6	21.5 / 27
RCST00789		ET (-) 70	161	205	6	21.5 / 27
RCST00815		ET (-) 70	221	275	8	27 / 32
RCST00809		ET 50	221	275	8	21.5 / 27
RCST00792		ET 55	161	205	6	21.5 / 27
RCST00788		ET 0	161	205	6	21.5 / 27
RCST00806		ET 0	110	160	5	18.5 / 23.5
RCST00811		ET 0	221	275	8	27 / 32
RCST00817		ET 0	221	275	8	21.5 / 27
RCST00839	16.00x17H2	ET (-) 10	221	275	8	27 / 32
RCST00845		ET (-) 105	221	275	8	21.5 / 27
RCST00843		ET (-) 25	161	205	6	21.5 / 27
RCST00838		ET (-) 35	221	275	8	27 / 32
RCST00842		ET (-) 40	161	205	6	21.5 / 27
RCST00844		ET (-) 40	221	275	8	27 / 32
RCST00840		ET 0	161	205	6	21.5 / 27
RCST00841		ET 0	221	275	8	21.5 / 27
RCST00846	4.50Ex18	ET 22	85	130	4	18 / 23.5
RCST00848	5.50Fx18	ET 45	161	205	6	21.5 / 27
RCST00849		ET 45	94	140	5	16

Agricultural Wheels

Rimconn PN	Wheel Size	Offset / Inset (ET) (mm)	Center Hole Dia (mm)	PCD (mm)	Number of Stud Holes	Bolt Hole Dia. (mm)
RCST00879	9x18	ET (-) 10	95	140	6	17
RCST00862		ET (-) 13	221	275	8	21.5 / 27
RCST00858		ET (-) 15	152.4	203.2	8	17.5 / 23.5
RCST00861		ET (-) 50	117.4	152.4	6	16
RCST00877		ET 10	135	170	6	17
RCST00868		ET 18	290	335	5	21.5 / 38
RCST00878		ET 25	117.4	152.4	6	18
RCST00860		ET 29	290	335	5	21.5 / 38
RCST00875		ET 32	240.5	274	6	17
RCST00866		ET 41	153	203.2	8	17
RCST00870		ET 45	161	205	6	21.5 / 27
RCST00873		ET 45	221	275	8	27 / 32
RCST00859		ET 57	221	275	8	18 / 23.5
RCST00863		ET 57	221	275	8	21.5 / 27
RCST00869		ET 60	163	205	6	18
RCST00864		ET 7	152.4	203.2	8	19
RCST00874		ET 7	117.8	152.4	6	18
RCST00867		ET 72	117.8	152.4	6	18
RCST00854		ET 0	161	205	6	21.5 / 27
RCST00856		ET 0	290	335	5	21.5 / 38
RCST00857		ET 0	221	275	8	21.5 / 27
RCST00872		ET 0	152.4	203.2	8	21.5 / 27
RCST00876		ET 0	117.8	152.4	6	14.7
RCST00891	11x18	ET (-) 10	221	275	8	21.5 / 27
RCST00901		ET (-) 100	221	275	8	21.5 / 27
RCST00898		ET (-) 35	161	205	6	21.5 / 27
RCST00889		ET (-) 50	221	275	8	27 / 32
RCST00896		ET (-) 50	221	275	8	21.5 / 27
RCST00904		ET (-) 55	152.6	203.2	8	19
RCST00890		ET (-) 7	290	335	5	21.5 / 38
RCST00899		ET 10	223.5	275	8	21.5
RCST00888		ET 14	221	275	8	21.5 / 27
RCST00900		ET 14	161	205	6	21.5 / 27
RCST00903		ET 30	221	275	8	21.5 / 27
RCST00895		ET 32	290	335	5	21.5 / 38
RCST00886		ET 35	221	275	8	19
RCST00907		ET 35	221	275	8	21.5
RCST00905		ET 57	161	205	6	21.5 / 27
RCST00897		ET 60	163	205	6	18
RCST00892		ET 75	221	275	8	21.5 / 27
RCST00881		ET 0	221	275	8	27 / 32
RCST00884		ET 0	161	205	6	21.5 / 27
RCST00915	13x18	ET (-) 25	221	275	8	21.5 / 28
RCST00919		ET (-) 25	161	205	6	21.5 / 27
RCST00918		ET (-) 50	221	275	8	21.5 / 27
RCST00910		ET 15	152.4	203.2	8	18
RCST00916		ET 50	161	205	6	21.5 / 27
RCST00908		ET 0	161	205	6	21.5 / 27
RCST00909		ET 0	221	275	8	27 / 32
RCST00911		ET 0	221	275	8	21.5 / 27
RCST00921	13x18H2	ET 0	221	275	8	21.5 / 27
RCST00922		ET 0	221	275	8	27 / 32

Agricultural Wheels

Rimconn PN	Wheel Size	Offset / Inset (ET) (mm)	Center Hole Dia (mm)	PCD (mm)	Number of Stud Holes	Bolt Hole Dia. (mm)
RCST00935	5.50Fx20	ET (-) 4	221	275	8	19
RCST00930		ET 10	94	140	5	18 / 23.5
RCST00928		ET 16	117.8	152.4	6	16 / 22
RCST00926		ET 28.6	117.7	152.4	6	18 / 23.5
RCST00927		ET 30	117.8	152.4	6	18 / 23.5
RCST00932		ET 30	221	275	8	21.5 / 27
RCST00924		ET 36	135	175	5	20 / 26
RCST00925		ET 0	161	205	6	21.5 / 27
RCST00931		ET 0	102	140	5	18.5 / 23.5
RCST00936		ET 115	145	190	8	20 / 26
RCST00937	W7x20	ET 0	161	205	6	21.5 / 27
RCST00938		ET 27	102	165	6	17
RCST00939		ET 52	102	161	6	14
RCST00940		ET 17.5	120	180	6	20 / 26
RCST00941		ET 25	135	175	5	20 / 25
RCST00946		ET 100	117.8	152.4	6	18
RCST00943	W8x20	ET 117	135	170	6	17
RCST00942		ET 17	117.4	152.4	6	18
RCST00947		ET 0	221	275	8	21 / 26
RCST00949		ET 0	94	140	5	18.5 / 24
RCST00955		ET (-) 20	161	205	6	21.5 / 27
RCST00957	W9x20	ET (-) 6	110	150	6	17
RCST00953		ET 105	145	190	8	20 / 26
RCST00952		ET 31	135	175	5	20 / 25
RCST00956		ET 45	161	205	6	21.5 / 27
RCST00950		ET 80	145	190	8	20 / 26
RCST00954		ET 0	161	205	6	21.5 / 27
RCST00964	W10x20	ET 17	117.4	152.4	6	18
RCST00966		ET 20	221	275	8	21.5 / 27
RCST00974		ET 26	152.4	203.2	8	17
RCST00961		ET 31.5	152.4	203.2	8	17
RCST00960		ET 41	152.4	203.2	8	17
RCST00973		ET 45	221	275	8	21.5
RCST00962		ET 71.5	152.4	203.2	8	17
RCST00958		ET 72	117.4	152.4	6	16
RCST00965		ET 72	135	170	6	17
RCST00970		ET 80	221	275	8	21.5 / 27
RCST00959		ET 0	152.4	203.2	8	17
RCST00967		ET 0	161	205	6	21.5
RCST00968		ET 0	161	205	6	21.5 / 27
RCST00971		ET 0	152.4	203.2	8	17
RCST01001	W11x20	ET (-) 101	152.4	203.2	8	16.5 / 21.5
RCST00978		ET (-) 57	135	170	6	17
RCST00990		ET (-) 90	135	170	6	17
RCST00992		ET 17.5	221	275	8	21.5 / 27
RCST00993		ET 27.5	176	225	10	23
RCST00977		ET 35	221	275	8	21.5 / 27
RCST00996		ET 35	161	205	6	21.5
RCST00986		ET 40	161	205	6	21.5 / 27
RCST00985		ET 70	161	205	6	21.5 / 27
RCST00987		ET 0	161	205	6	21.5
RCST00989		ET 0	135	170	6	17

Agricultural Wheels

Rimconn PN	Wheel Size	Offset / Inset (ET) (mm)	Center Hole Dia (mm)	PCD (mm)	Number of Stud Holes	Bolt Hole Dia. (mm)
RCST01002	W12x20	ET 80	145	190	8	20 / 26
RCST01003		ET 80	135	175	5	20 / 26
RCST01004		ET (-) 60	222	275	8	21 / 26
RCST01015	W13x20	(-)	161	205	6	17.5
RCST01022		ET (-) 10	221	275	8	27 / 32
RCST01021		ET (-) 15	221	275	8	27 / 32
RCST01023		ET (-) 15	152.4	203.2	8	20
RCST01008		ET (-) 33	117.4	152.4	5	16
RCST01035		ET (-) 45	161	205	6	21.5 / 27
RCST01027		ET (-) 60	161	205	6	21 / 27
RCST01028		ET (-) 60	221	275	8	21 / 27
RCST01019		ET (-) 7.5	221	275	8	21.5 / 27
RCST01040		ET (-) 80	117.4	152.4	6	16
RCST01014		ET (-) 82	161	205	6	17.5
RCST01009		ET 11.5	221	275	8	21.5 / 27
RCST01041		ET 20	221	275	8	25.5
RCST01026		ET 30	221	275	8	21.5 / 27
RCST01032		ET 30	152.4	203.2	8	17
RCST01017		ET 35	221	275	8	21.5 / 27
RCST01020		ET 50	221	275	8	27 / 32
RCST01029		ET 60	161	205	6	21.5
RCST01010		ET 85	221	275	8	21.5 / 27
RCST01011		ET 0	221	275	8	21.5 / 27
RCST01018		ET 0	221	275	8	27 / 32
RCST01025		ET 0	161	205	6	21.5 / 27
RCST01033		ET 0	281	335	10	27 / 32
RCST01038		ET 0	94	140	10	18.5 / 24
RCST01016		ET (-) 20	290	335	5	21.5 / 37
RCST01046	W14x20	ET (-) 10	221	275	8	27 / 32
RCST01044		ET (-) 35	221	275	8	21.5 / 27
RCST01047		ET 110	152.4	203.2	8	21.5
RCST01042		ET 0	221	275	8	21.5 / 27
RCST01043		ET 0	291.1	335	5	21.5 / 38
RCST01045		ET 0	161	205	6	21.5 / 27
RCST01048		ET 0	221	275	8	22.5
RCST01049	W16Lx20	ET 0	221	275	8	21.5 / 27
RCST01050		ET 0	281	335	10	27 / 32
RCST01051		ET (-) 100	161	205	6	21.5 / 27
RCST01052		ET (-) 50	221	275	8	27 / 32
RCST01053		ET (-) 120	161	205	6	21.5 / 27



Agricultural Wheels						
Rimconn PN	Wheel Size	Offset / Inset (ET) (mm)	Center Hole Dia (mm)	PCD (mm)	Number of Stud Holes	Bolt Hole Dia. (mm)
RCST01385	22.5x9.00	ET (-) 40	151	203.2	8	20
RCST01386		ET (-) 68	290	330	8	17
RCST01387		ET (-) 15	281	335	10	25.4
RCST01388		ET 0	221	275	8	21.5 / 27
RCST01390		ET 0	161	205	6	21.5 / 27
RCST01383	22.5x11.75	ET (-) 13	152.4	203.2	8	17.5 / 23
RCST01368		ET (-) 15	161	205	6	21.5 / 27
RCST01376		ET (-) 15	203	241.3	10	16 / 22
RCST01374		ET (-) 20	290	335	10	21.5 / 38
RCST01375		ET (-) 25	221	275	8	21.5 / 27
RCST01366		ET (-) 30	221	275	8	27 / 32
RCST01372		ET (-) 30	281	335	10	27 / 32
RCST01381		ET (-) 38	221	275	8	21.5 / 27
RCST01377		ET (-) 50	221	275	8	27 / 32
RCST01369		ET (-) 60	221	275	8	21.5 / 27
RCST01382		ET (-) 80	152.4	203.2	8	17.5 / 23
RCST01378		ET 41	152.4	203.2	8	17
RCST01361		ET 0	221	275	8	21.5 / 27
RCST01363		ET 0	161	205	6	21.5 / 27
RCST01370		ET 0	220	285	10	27 / 32
RCST01355	22.5x13.00	ET (-) 15	161	205	6	21.5 / 27
RCST01360		ET (-) 15	221	275	8	21.5 / 27
RCST01351		ET (-) 30	281	335	10	27 / 32
RCST01356		ET 27	152.4	203.2	8	16 / 22
RCST01348		ET 0	161	205	6	21.5 / 27
RCST01349		ET 0	221	275	8	21.5 / 27
RCST01350		ET 0	281	335	10	27 / 32
RCST01358		ET 0	152.4	203.2	8	16.5 / 22
RCST01343	22.5x14.00	ET (-) 100	281	335	10	27 / 32
RCST01341		ET (-) 30	281	335	10	27 / 32
RCST01340		ET 25	281	335	10	27 / 32
RCST01339		ET 0	221	275	8	21.5 / 27
RCST01292	22.5x16.00H2	ET (-) 100	221	275	8	27 / 32
RCST01311		ET (-) 100	221	275	8	21.5 / 27
RCST01303		ET (-) 105	152.4	203.2	8	19
RCST01305		ET (-) 15	221	275	8	21.5 / 27
RCST01324		ET (-) 15	281	335	10	27 / 32
RCST01302		ET (-) 20	152.4	203.2	8	19
RCST01294		ET (-) 30	281	335	10	27 / 32
RCST01288		ET (-) 40	281	335	10	27 / 32
RCST01307		ET (-) 48	221	285.75	10	20.5
RCST01319		ET (-) 49	221	275	8	21.5 / 27
RCST01275		ET (-) 50	281	335	10	27 / 32
RCST01283		ET (-) 50	221	275	8	21.5 / 27
RCST01308		ET (-) 50	161	205	6	21.5 / 27
RCST01314		ET 10	281	335	10	27
RCST01332		ET 150	221	275	8	21.5 / 27
RCST01279		ET 25	281	335	10	27 / 32
RCST01280		ET 50	281	335	10	27 / 32
RCST01276		ET 0	281	335	10	27 / 32
RCST01287		ET 0	161	205	6	21.5 / 27
RCST01282		ET 0	221	275	8	21.5 / 27

Agricultural Wheels						
Rimconn PN	Wheel Size	Offset / Inset (ET) (mm)	Center Hole Dia (mm)	PCD (mm)	Number of Stud Holes	Bolt Hole Dia. (mm)
RCST01182	22.5x18.00H2	ET (-) 50	281	335	10	27 / 32
RCST01180		ET 0	281	335	10	27 / 32
RCST01181		ET 0	281	335	10	26
RCST01151	22.5x20.00H2	ET (-) 100	161	205	6	21.5 / 27
RCST01153		ET (-) 100	281	335	10	27 / 32
RCST01163		ET (-) 100	221	275	8	21.5 / 27
RCST01160		ET (-) 130	221	275	8	27 / 32
RCST01152		ET (-) 15	281	335	10	27 / 32
RCST01170		ET (-) 25	281	335	10	24
RCST01169		ET (-) 38	221	285.75	10	20.5
RCST01168		ET (-) 40	281	335	10	27 / 32
RCST01156		ET (-) 45	281	335	10	27
RCST01148		ET (-) 50	281	335	10	27 / 32
RCST01162		ET (-) 60	281	335	10	27 / 32
RCST01161		ET (-) 88	221	285	10	31.5 / 38
RCST01175		ET (-) 90	221	275	8	21.5 / 27
RCST01171		ET (-) 97	221	285.75	10	25
RCST01177		ET 120	281	335	10	27 / 32
RCST01157		ET 15	281	335	10	27 / 32
RCST01146		ET 0	281	335	10	27 / 32
RCST01166		ET 0	281	335	10	25.4
RCST01155		ET 0	221	275	8	21.5 / 27
RCST01158		ET 0	221	275	8	27 / 32
RCST01055	22.5x24.00H2	ET (-) 100	281	335	10	27 / 32
RCST01059		ET (-) 100	221	275	8	21.5 / 27
RCST01067		ET (-) 115	161	205	6	21.5 / 27
RCST01056		ET (-) 120	281	335	10	27 / 32
RCST01078		ET (-) 120	221	275	8	21.5 / 27
RCST01070		ET (-) 130	390	430	12	17
RCST01081		ET (-) 130	221	275	8	21.5 / 27
RCST01057		ET (-) 15	281	335	10	27 / 32
RCST01068		ET (-) 15	221	275	8	27 / 32
RCST01073		ET (-) 15	161	205	6	21.5 / 27
RCST01077		ET (-) 150	281	335	10	27 / 32
RCST01071		ET (-) 38	221	285.75	10	20.5
RCST01054		ET (-) 50	281	335	10	27 / 32
RCST01058		ET (-) 50	221	275	8	21.5 / 27
RCST01084		ET (-) 50	221	285.75	10	20.5
RCST01085		ET (-) 50	281	335	10	20.5
RCST01072		ET (-) 75	281	335	10	24
RCST01069		ET (-) 80	390	430	12	17
RCST01087		ET 50	281	335	10	27 / 32
RCST01060		ET 0	281	335	10	27 / 32
RCST01079		ET 0	221	275	8	21.5 / 27
RCST01080		ET 0	221	275	8	27 / 32
RCST01083		ET 0	281	335	10	25.4
RCST01392	W7x24	ET (-) 80	221	275	8	21
RCST01393	W8x24	ET (-) 20	152.4	203.2	8	18 / 23.5
RCST01395		ET (-) 30	145	190	8	20 / 26
RCST01397		ET 27	161	205	6	21.5 / 27
RCST01396		ET 0	281.5	335	10	21
RCST01407	W9x24	ET 35	221	275	8	18 / 23.5

Agricultural Wheels

Rimconn PN	Wheel Size	Offset / Inset (ET) (mm)	Center Hole Dia (mm)	PCD (mm)	Number of Stud Holes	Bolt Hole Dia. (mm)
RCST01429	W10x24	ET (-) 50	221	275	8	21.5 / 27
RCST01428		ET (-) 70	221	275	8	21.5
RCST01433		ET (-) 75	135	170	6	18
RCST01435		ET 107	221	275	8	21 / 27
RCST01427		ET 131	145	-	-	-
RCST01432		ET 47	161	205	6	21.5
RCST01451		ET 48	135.2	170	6	17
RCST01446		ET 5	222	275	8	22 / 29.5
RCST01425		ET 70	161	205	6	21.5
RCST01449		ET 75	161	205	6	20
RCST01431		ET 95	152.4	203.2	8	17
RCST01423		ET 0	145	190	8	20 / 26
RCST01440		ET 0	135	170	6	17
RCST01443		ET 0	221	275	8	21.5 / 27
RCST01466	W11x24	ET (-) 10	152.4	203.2	8	21.5
RCST01468		ET (-) 14	135.2	170	6	17
RCST01470		ET (-) 20	152.4	203.2	8	17
RCST01465		ET (-) 21	135	170	6	18
RCST01464		ET 30	135	170	6	18
RCST01455		ET 41	152.4	203.2	8	17
RCST01462		ET 56	152.4	203.2	8	17
RCST01460		ET 0	290.5	330	8	17
RCST01478	W12x24	ET (-) 110	152.4	203.2	8	18.5 / 24
RCST01509		ET (-) 20	152.4	203.2	8	17
RCST01524		ET (-) 60	152.4	203.2	8	17.5 / 21.5
RCST01497		ET 10	221	275	8	21.5 / 27
RCST01504		ET 100	290.5	330	8	17
RCST01482		ET 15	152.4	203.2	8	19
RCST01536		ET 20	221	275	8	21.5
RCST01510		ET 24	152.4	203.2	8	17
RCST01538		ET 3	152.4	203.2	8	17.5 / 21.5
RCST01523		ET 30	135.2	170	6	17
RCST01481		ET 49	152.4	203.2	8	17
RCST01528		ET 50	221	275	8	22
RCST01532		ET 50	152.4	203.2	8	19
RCST01477		ET 72	145	190	8	20 / 26
RCST01530		ET 72.5	221	275	8	21.5
RCST01483		ET 0	161	205	6	21.5 / 27
RCST01488		ET 0	221	275	8	21.5 / 27
RCST01541	W13x24	ET (-) 100	221	275	8	21.5
RCST01548		ET (-) 11	152.4	203.2	8	18
RCST01554		ET (-) 140	120	165	6	16.5 / 25
RCST01560		ET (-) 20	161	205	6	21.5 / 27
RCST01555		ET (-) 35	221	275	4	21.5 / 27
RCST01556		ET (-) 35	161	205	6	21.5 / 27
RCST01558		ET 45	161	205	6	21.5 / 27
RCST01543		ET 70	221	275	8	27 / 32
RCST01550		ET 0	221	275	8	21.5 / 27
RCST01565	W14Lx24	ET (-) 40	221	275	8	20
RCST01564		ET (-) 48	371	481	12	25
RCST01563		ET (-) 90	152.4	203.2	8	17.5 / 21.5
RCST01566		ET 15	291	335	5	27 / 38

Agricultural Wheels

Rimconn PN	Wheel Size	Offset / Inset (ET) (mm)	Center Hole Dia (mm)	PCD (mm)	Number of Stud Holes	Bolt Hole Dia. (mm)
RCST01571	W15xL24	ET (-) 10	221	275	8	22 / 27
RCST01590		ET (-) 50	152.4	203.2	8	19
RCST01598		ET (-) 50	161	205	6	20
RCST01574		ET (-) 60	221	275	8	21.5
RCST01570		ET (-) 70	221	275	8	21.5
RCST01576		ET (-) 75	152.4	203.2	8	19
RCST01582		ET (-) 90	221	275	8	21.5
RCST01581		ET 100	175	225	5	24
RCST01580		ET 24	152.4	203.2	8	17
RCST01592		ET 25	161	205	6	20
RCST01573		ET 30	221	275	8	21.5
RCST01568		ET 80	221	275	8	24
RCST01596		ET 80	152.4	203.2	8	19
RCST01572		ET 0	221	275	8	21.5 / 27
RCST01587		ET 0	281	335	10	27 / 32
RCST01589		ET 0	152.4	203.2	8	17
RCST01607	W16Lx24	ET (-) 120	161	205	6	21.5
RCST01601		ET (-) 15	281	335	10	27 / 36
RCST01603		ET (-) 31	170	275	8	27 / 32
RCST01612		ET (-) 40	180	230	8	20.5
RCST01605		ET (-) 50	221	275	8	24
RCST01604		ET (-) 60	140	203.2	8	17
RCST01608		ET 100	152.4	203.2	8	22
RCST01609		ET 26	161	205	6	21.5
RCST01606		ET 30	221	275	8	26
RCST01602		ET 0	221	275	8	21.5 / 27
RCST01624	DW18Lx24	ET (-) 15	281	335	10	27 / 32
RCST01629		ET (-) 15	281	335	10	27 / 32
RCST01617		ET (-) 25	221	275	8	21.5 / 27
RCST01621		ET (-) 25	221	275	8	21.5 / 27
RCST01616		ET (-) 50	221	275	8	21.5 / 27
RCST01620		ET (-) 50	221	275	8	21.5 / 27
RCST01623		ET (-) 50	281	335	10	27 / 32
RCST01628		ET (-) 50	281	335	10	27 / 32
RCST01627		ET 11	370	425	12	27 / 32
RCST01618		ET 0	221	275	8	21.5 / 27
RCST01619		ET 0	281	335	8	27 / 32
RCST01622		ET 0	221	275	8	21.5 / 27
RCST01625		ET 0	221	275	8	21.5 / 27
RCST01631		ET 0	281	335	10	27 / 32
RCST01632	DW12Lx26	ET (-) 35	135	170	6	18
RCST01633		ET (-) 10	135	170	6	18
RCST01643	DW16Lx26	ET (-) 10	281	335	10	27 / 32
RCST01638		ET (-) 6	140	203.2	8	21.5
RCST01636		ET (-) 70	152.4	203.2	8	18
RCST01641		ET (-) 70	221	275	8	27 / 32
RCST01637		ET 19	281	335	10	27 / 32
RCST01642		ET 5	283.5	335	10	22
RCST01640		ET 70	221.5	275	8	22
RCST01644		ET 70	281	335	10	27 / 32
RCST01639		ET 0	221	275	8	21.5 / 27

Agricultural Wheels

Rimconn PN	Wheel Size	Offset / Inset (ET) (mm)	Center Hole Dia (mm)	PCD (mm)	Number of Stud Holes	Bolt Hole Dia. (mm)
RCST01672	DW20Bx26	ET (-) 100	281	335	10	27 / 32
RCST01654		ET (-) 50	371	425	12	27 / 32
RCST01655		ET (-) 50	221	275	8	27 / 32
RCST01659		ET (-) 50	281	335	10	27 / 36
RCST01661		ET (-) 50	221	275	8	21.5 / 27
RCST01666		ET (-) 50	152.4	203.2	8	20
RCST01665		ET (-) 80	281	335	10	27 / 32
RCST01692		ET 110	371	425	12	27 / 32
RCST01678		ET 18	155	203.2	8	27 / 32
RCST01685		ET 35	214	275	8	32 / 37
RCST01684		ET 53	283	335	10	27 / 32
RCST01683		ET 56	281	335	10	27 / 32
RCST01669		ET 0	221	275	8	21.5 / 27
RCST01671		ET 0	281	335	10	27 / 32
RCST01677		ET 0	221	275	8	21.5 / 27
RCST01681		ET 0	221	275	8	27 / 32
RCST01703	DW25Bx26	ET (-) 100	281	335	10	27 / 32
RCST01698		ET (-) 112	221	275	8	27 / 32
RCST01702		ET (-) 12	281	335	10	27 / 32
RCST01699		ET (-) 150	281	335	10	27 / 32
RCST01697		ET (-) 45	368	415	8	24 / 30
RCST01701		ET (-) 50	281	335	10	27 / 32
RCST01705		ET (-) 65	221	275	8	24
RCST01707		ET (-) 70	281	335	10	27 / 32
RCST01716		ET (-) 88	221	275	8	24
RCST01717		ET 100	281	335	10	27
RCST01704		ET 30	221	275	8	24
RCST01714		ET 65	164	222.25	8	26
RCST01700		ET 0	281	335	10	27 / 32
RCST01708		ET 0	221	275	8	21.5 / 27
RCST01709		ET 0	371	425	12	27 / 38
RCST01715		ET 0	371	425	12	26
RCST01726	20.00x26.5H2	ET (-) 100	281	335	10	27 / 32
RCST01741		ET (-) 100	390	430	12	17
RCST01729		ET (-) 15	221	275	8	21.5 / 27
RCST01734		ET (-) 15	281	335	10	27 / 32
RCST01738		ET (-) 40	152.4	203.2	8	19
RCST01742		ET (-) 40	390	430	12	17
RCST01720		ET (-) 50	221	275	8	21.5 / 27
RCST01722		ET (-) 50	281	335	10	27 / 32
RCST01752		ET (-) 50	221	275	8	27 / 32
RCST01737		ET (-) 70	281	330	10	27 / 32
RCST01743		ET (-) 85	281	335	10	27 / 32
RCST01740		ET 100	221	275	8	27 / 32
RCST01754		ET 100	281	335	10	27 / 32
RCST01736		ET 25	281	335	10	27 / 32
RCST01750		ET 25	281	335	10	27 / 32
RCST01728		ET 50	281	335	10	27 / 32
RCST01739		ET 50	221	275	8	27 / 32
RCST01748		ET 80	281	335	10	27 / 32
RCST01719		ET 0	281	335	10	27 / 32
RCST01721		ET 0	221	275	8	21.5 / 27

Agricultural Wheels						
Rimconn PN	Wheel Size	Offset / Inset (ET) (mm)	Center Hole Dia (mm)	PCD (mm)	Number of Stud Holes	Bolt Hole Dia. (mm)
RCST01757	24.00x26.5H2	ET (-) 100	221	275	8	21.5 / 27
RCST01764		ET (-) 100	281	335	10	27 / 32
RCST01766		ET (-) 15	281	335	10	26
RCST01768		ET (-) 15	281	335	10	27 / 32
RCST01778		ET (-) 25	281	335	10	27 / 32
RCST01771		ET (-) 30	221	275	8	27 / 32
RCST01777		ET (-) 40	221	275	8	27 / 32
RCST01758		ET (-) 50	281	335	10	27 / 32
RCST01770		ET (-) 50	221	275	8	21.5 / 27
RCST01779		ET (-) 50	221	275	8	27 / 32
RCST01782		ET (-) 50	221	285.75	10	20.5
RCST01783		ET (-) 50	281	335	10	20.5
RCST01775		ET (-) 75	221	275	8	21.5 / 27
RCST01762		ET (-) 80	281	335	10	26
RCST01767		ET (-) 80	281	335	10	27 / 32
RCST01772		ET (-) 80	390	430	12	17
RCST01765		ET 15	221	275	8	21.5 / 27
RCST01781		ET 20	281	335	10	27 / 32
RCST01785		ET 30	281	335	10	27 / 32
RCST01776		ET 50	281	335	10	27 / 32
RCST01786		ET 60	281	335	10	26
RCST01784		ET 8	281	335	10	27 / 32
RCST01759		ET 0	281	335	10	27 / 32
RCST01773		ET 0	281	335	10	26
RCST01761		ET 0	221	275	8	21.5 / 27
RCST01780		ET 0	221	275	8	27 / 32
RCST01790	28.00x26.5H2	ET (-) 100	281	335	10	27 / 32
RCST01789		ET (-) 50	281	335	10	24
RCST01791		ET (-) 50	281	335	10	27 / 32
RCST01788		ET 0	281	335	10	27 / 32
RCST01794		ET 0	221	285	10	25
RCST01797	W8x28	ET 120	390	430	12	17
RCST01798		ET 40	94	140	5	16
RCST01799		ET 80	135	170	6	18
RCST01800		ET 0	161	205	6	21.5 / 27
RCST01801	W9x28	ET 105	181	230	6	20.5 / 26
RCST01806	W10x28	ET (-) 10	221	275	8	21.5 / 27
RCST01818		ET (-) 10	135	170	6	18
RCST01809		ET (-) 125	110	152.4	8	21.5 / 27
RCST01815		ET (-) 131	390	430	12	17
RCST01807		ET (-) 25	110	152.4	8	21.5 / 27
RCST01825		ET (-) 31	135	170	6	18
RCST01808		ET (-) 75	110	152.4	8	21.5 / 27
RCST01814		ET (-) 95	221	275	8	20
RCST01816		ET 10	161	205	6	21.5 / 27
RCST01827		ET 10	221	275	8	21.5 / 27
RCST01819		ET 135	290	330	8	17
RCST01826		ET 150	145	190	8	20 / 26
RCST01811		ET 19	152.4	203.2	8	17
RCST01813		ET 19	291	330	8	17
RCST01821		ET 45	161	205	6	21.5
RCST01817		ET 60	161	205	6	21.5 / 27

Agricultural Wheels

Rimconn PN	Wheel Size	Offset / Inset (ET) (mm)	Center Hole Dia (mm)	PCD (mm)	Number of Stud Holes	Bolt Hole Dia. (mm)
RCST01831	W11x28	ET 45	161	205	6	21.5 / 27
RCST01854	W12x28	ET (-) 15	135	170	8	18
RCST01849		ET (-) 2.5	221	275	8	21.5
RCST01833		ET (-) 27	109	152.4	8	17
RCST01853		ET (-) 30	221	275	8	21.5
RCST01842		ET (-) 50	215	275	8	21.5 / 27
RCST01840		ET (-) 60	221	275	8	22
RCST01851		ET (-) 70	161	205	6	17
RCST01855		ET (-) 20	152.4	203.2	8	19
RCST01844		ET 100	385	430	12	17
RCST01835		ET 128	152.4	203.2	8	20.5
RCST01841		ET 137	290	330	8	17
RCST01850		ET 27	152.4	203.2	8	17
RCST01843		ET 34	290	330	8	17
RCST01832		ET 46	382.5	425	6	17
RCST01838		ET 0	281	335	10	27 / 32
RCST01852		ET 0	161	205	6	21.5 / 27
RCST01856	W13x28	ET 46	382.5	425	6	17
RCST01857		ET (-) 19	152.4	203.2	8	19
RCST01858		ET 0	281	335	10	24
RCST01864	W14x28	ET (-) 20	281	335	10	22
RCST01865		ET (-) 30	385	430	12	17
RCST01870		ET (-) 35	152.4	203.2	8	17
RCST01862		ET (-) 60	221	275	8	22
RCST01868		ET 100	385	430	12	17
RCST01869		ET 131	390	430	12	17
RCST01863		ET 30	290	330	8	18
RCST01861		ET 34	281	335	10	27 / 32
RCST01867		ET 41	290.5	330	8	17
RCST01872		ET 72	152.4	203.2	8	20
RCST01871		ET 0	221	275	8	22
RCST01890	W15Lx28	ET (-) 10	281	335	10	27 / 32
RCST01885		ET (-) 107	140	203.2	8	21.5
RCST01882		ET (-) 20	221	275	8	22
RCST01901		ET (-) 50	281	335	10	24
RCST01902		ET (-) 80	221	275	8	21.5 / 27
RCST01912		ET (-) 110	221	275	8	22
RCST01909		ET (-) 68	140	203.2	8	21.5
RCST01911		ET (-) 98	221	275	8	22
RCST01877		ET 19	281	335	10	27 / 32
RCST01883		ET 20	290	330	8	18
RCST01886		ET 20	281	335	10	26
RCST01875		ET 45	281	335	10	27 / 32
RCST01906		ET 30	152.4	203.2	8	17
RCST01915	W16Lx28	ET (-) 105	221	275	8	27 / 332
RCST01916		ET (-) 35	281	335	10	23
RCST01917		ET (-) 40	281	335	10	27 / 32
RCST01920		ET (-) 40	281	335	10	24
RCST01914		ET (-) 58	281	335	10	27 / 32
RCST01918		ET (-) 70	221	275	8	22
RCST01919		ET (-) 70	281	335	10	24
RCST01921		ET (-) 68	221	275	8	22

Agricultural Wheels

Rimconn PN	Wheel Size	Offset / Inset (ET) (mm)	Center Hole Dia (mm)	PCD (mm)	Number of Stud Holes	Bolt Hole Dia. (mm)
RCST01925	DW12x30	ET (-) 32	152.4	203.2	8	21.5
RCST01926		ET (-) 70	161	205	6	17
RCST01923		ET 5	152.4	203.2	8	19 / 22
RCST01922		ET 71	152.4	203.2	8	19
RCST01927		ET 26	199	250	8	24 / 30
RCST01928		ET 88	221	275	8	22
RCST01938	DW14Lx30	ET (-) 15	221	275	8	21.5 / 27
RCST01945		ET (-) 70	400	480	8	17
RCST01929		ET 125	199.5	250	8	24 / 30
RCST01930		ET 135	152.4	203.2	8	20.5
RCST01943		ET 135	390	430	12	17
RCST01942		ET 25	221	275	8	24 / 30
RCST01932		ET 40	152.4	203.2	8	17
RCST01934		ET 50	371	425	12	27 / 32
RCST01944		ET 50	281	335	10	27 / 32
RCST01940		ET 80	385	430	12	17
RCST01936		ET 0	221	275	8	21.5 / 27
RCST01937		ET 0	281	335	10	27 / 32
RCST01941		ET 0	400	480	8	17
RCST01949	W15Lx30	ET 134	152.4	203.2	8	20.5
RCST01951		ET (-) 90	221	275	8	24
RCST01975	DW15Lx30	ET (-) 10	281	335	10	19
RCST01966		ET (-) 144	152.4	203.2	8	17
RCST01962		ET (-) 34	152.4	203.2	8	19
RCST01953		ET (-) 50	371	425	12	27 / 32
RCST01946		ET (-) 58	281	335	10	23
RCST01947		ET (-) 67	281	335	10	24
RCST01974		ET (-) 70	281	335	10	24
RCST01973		ET (-) 75	221	275	8	21.5 / 27
RCST01979		ET (-) 61	170	220	8	27 / 32
RCST01957		ET 10	221	275	8	21.5 / 27
RCST01952		ET 20	152.4	203.2	8	21.5 / 27
RCST01954		ET 20	152.4	203.2	8	22
RCST01964		ET 30	362.5	405	8	17
RCST01976		ET 33	281	335	10	22
RCST01963		ET 75	181	230	8	20
RCST01980		ET 23.5	386	450	8	26
RCST01948		ET 0	221	275	8	21.5 / 27
RCST01950		ET 0	281	335	10	27 / 32
RCST01968		ET 0	390	430	12	17
RCST01984	DW16Lx30	ET (-) 20	371	425	12	24
RCST01985		ET (-) 25	281	335	10	22
RCST01992		ET (-) 25	290	335	10	22
RCST01987		ET (-) 60	281	335	10	22
RCST01990		ET (-) 70	281	335	10	24
RCST01986		ET (-) 80	281	335	10	22
RCST01981		ET 50	371	425	12	27 / 32
RCST01982		ET 0	221	275	8	27 / 32
RCST01989		ET 0	281	335	10	22
RCST01994	DW20Lx30	ET 37	221	275	8	24 / 30
RCST01995		ET 80	385	430	12	17
RCST01996		ET (-) 100	281	335	10	27 / 32

Agricultural Wheels						
Rimconn PN	Wheel Size	Offset / Inset (ET) (mm)	Center Hole Dia (mm)	PCD (mm)	Number of Stud Holes	Bolt Hole Dia. (mm)
RCST02002	30.5x20.00H2	ET (-) 100	281	335	10	27 / 32
RCST02008		ET (-) 100	221	275	8	21.5 / 27
RCST02007		ET (-) 170	221	275	8	21.5 / 27
RCST02004		ET (-) 40	390	430	12	17
RCST01999		ET (-) 50	281	335	10	27 / 32
RCST02009		ET (-) 50	281	335	10	27 / 32
RCST02010		ET (-) 50	221	275	8	21.5 / 27
RCST02003		ET (-) 85	281	335	10	27 / 32
RCST01998		ET 50	281	335	10	27 / 32
RCST01997		ET 0	281	335	10	27 / 32
RCST02000		ET 0	221	275	8	21.5 / 27
RCST02022	30.5x24.00H2	ET (-) 100	281	335	10	27 / 32
RCST02016		ET (-) 50	281	335	10	27 / 32
RCST02015		ET (-) 80	281	335	10	27 / 32
RCST02023		ET 60	370	425	12	26
RCST02018		ET 90	281	335	10	27 / 32
RCST02024		ET 30	281	335	10	26
RCST02013		ET 0	281	335	10	27 / 32
RCST02017		ET 0	221	275	8	21.5 / 27
RCST02026	30.5x28.00H2	ET 0	281	335	10	27 / 32
RCST02028		ET (-) 50	281	335	10	27 / 32
RCST02029		ET (-) 100	281	335	10	27 / 32
RCST02030		ET (-) 120	281	335	10	27 / 32
RCST02039	W7x32	ET 100	152.4	203.2	8	20
RCST02037		ET 106	221	275	8	24
RCST02033		ET 39	285	325	6	20
RCST02034		ET 40	161	205	6	20
RCST02035		ET 56	221	275	8	21.5 / 27
RCST02032		ET 55	161	205	6	21.5 / 27
RCST02050	W8x32	ET (-) 30	152.4	203.2	8	19
RCST02064		ET (-) 80	221	275	8	21.5 / 27
RCST02054		ET 16	221	275	8	20
RCST02041		ET 22	161	205	6	21.5 / 27
RCST02052		ET 40	161	205	6	21.5 / 27
RCST02040		ET 43	221	275	8	21.5 / 27
RCST02045		ET 43	180	230	6	20 / 26
RCST02046		ET 43	292	330	8	17
RCST02056		ET 45	161	205	6	21.5 / 27
RCST02042		ET 56	221	275	8	21.5 / 27
RCST02043		ET 56	152.4	203.2	8	19
RCST02051		ET 70	180	230	6	20 / 25
RCST02057		ET 70	161	205	6	21.5 / 27
RCST02059		ET 70	161	205	6	21.5
RCST02047		ET 75	221	275	8	21.5
RCST02048		ET 75	161	205	6	20
RCST02053		ET 90	161	205	6	21.5 / 27
RCST02049		ET 96	180	230	6	20 / 25
RCST02067		ET 96	161	205	6	21.5 / 27
RCST02055		ET 0	161	205	6	21.5 / 27
RCST02061		ET 0	161	205	6	18.5 / 23.5
RCST02070	W10x32	ET 50	221	275	8	24 / 32
RCST02069		ET 0	221	275	8	24 / 32

Agricultural Wheels

Rimconn PN	Wheel Size	Offset / Inset (ET) (mm)	Center Hole Dia (mm)	PCD (mm)	Number of Stud Holes	Bolt Hole Dia. (mm)
RCST02079	W11x32	ET 115	221	275	8	21.5 / 27
RCST02075		ET 20	109	152.4	8	17
RCST02078		ET 20	109	152.4	8	19 / 27
RCST02076		ET 122	152.4	203.2	8	20.5
RCST02077		ET 122	152.4	203.2	8	19 / 27
RCST02080		ET 0	161	205	8	21.5 / 27
RCST02097	DW21Bx32	ET (-) 100	281	335	10	27 / 32
RCST02098		ET (-) 25	281	335	10	27 / 32
RCST02103		ET (-) 381	281	335	20	24
RCST02095		ET (-) 50	221	275	8	27 / 32
RCST02091		ET (-) 50	281	335	10	27 / 32
RCST02099		ET (-) 50	380	430	12	17
RCST02093		ET (-) 70	281	335	10	27 / 32
RCST02089		ET (-) 100	281	335	10	27 / 32
RCST02083		ET (-) 50	281	335	10	27 / 32
RCST02087		ET (-) 50	221	275	8	27 / 32
RCST02085		ET (-) 70	281	335	10	27 / 32
RCST02096		ET 100	221	275	8	27 / 32
RCST02102		ET 789	281	335	20	24
RCST02088		ET 100	221	275	8	27 / 32
RCST02082		ET 0	281	335	10	27 / 32
RCST02120	DW27Bx32	ET (-) 100	281	335	10	27 / 32
RCST02107		ET (-) 150	221	275	8	27 / 32
RCST02110		ET (-) 25	214	275	8	32 / 36.5
RCST02105		ET (-) 50	281	335	10	27 / 32
RCST02108		ET (-) 50	221	275	8	27 / 32
RCST02116		ET (-) 50	281	335	10	26
RCST02115		ET (-) 80	281	335	10	27 / 32
RCST02109		ET (-) 90	221	275	8	27 / 32
RCST02121		ET 100	281	335	10	27 / 32
RCST02113		ET 108	446	510	16	26
RCST02112		ET 123	446	510	16	26
RCST02123		ET 51	221	275	16	26
RCST02118		ET 86	221	275	16	26
RCST02114		ET 0	221	275	8	26
RCST02122		ET 0	221	275	8	21.5 / 27
RCST02119		ET 0	281	335	10	24
RCST02104		ET 0	281	335	10	27 / 32
RCST02126	DW36Bx32	ET (-) 144	281	335	10	26
RCST02128		ET 90	370	425	12	23



Agricultural Wheels

Rimconn PN	Wheel Size	Offset / Inset (ET) (mm)	Center Hole Dia (mm)	PCD (mm)	Number of Stud Holes	Bolt Hole Dia. (mm)
RCST02129	W12x34	ET 50	221	275	8	21.5
RCST02130	W14x34	ET 28	222	275	8	24 / 30
RCST02131	DW14Lx34	ET 0	281	335	10	25.4 / 29
RCST02137	W15Lx34	ET (-) 100	221	275	8	24
RCST02134		ET (-) 13	152.4	203.2	8	19 / 27
RCST02198		ET (-) 30	221	275	8	21.5
RCST02196		ET (-) 40	152.4	203.2	8	19 / 27
RCST02184		ET (-) 60	150.5	203.2	8	20
RCST02193		ET (-) 130	150.5	203.2	8	20
RCST02132		ET 100	221	430	8	21.5 / 27
RCST02139		ET 129	152.4	203.2	8	19
RCST02194		ET 129	152.4	203.2	8	19 / 27
RCST02145		ET 28	152.4	203.2	8	17
RCST02135		ET 57	221	275	8	27 / 36
RCST02191		ET 80	152.4	203.2	8	21.5 / --
RCST02141		ET 95	221	275	8	27 / 36
RCST02172	DW15Lx34	ET (-) 100	140	203.2	8	21.5
RCST02183		ET (-) 15	152.4	203.2	8	19
RCST02154		ET (-) 20	140	203.2	8	21.5
RCST02169		ET (-) 30	390	430	12	17
RCST02178		ET (-) 30	221	275	8	21.5
RCST02197		ET (-) 30	152.4	203.4	8	19
RCST02166		ET (-) 38	152.4	203.2	8	19 / 27
RCST02140		ET (-) 50	221	275	8	21.5 / 27
RCST02144		ET (-) 50	161	205	8	24
RCST02149		ET (-) 50	281	335	10	27 / 32
RCST02173		ET (-) 55	152.4	203.2	8	19
RCST02164		ET (-) 60	152.4	203.2	8	19
RCST02155		ET (-) 80.5	152.4	203.2	8	19
RCST02189		ET (-) 100	221	275	8	21 / 27
RCST02160		ET 10	181	230	8	20
RCST02162		ET 100	390	430	12	17
RCST02177		ET 104	199.5	250	8	24 / 30
RCST02133		ET 125	199.5	250	8	24 / 30
RCST02153		ET 14	221	275	8	27 / 32
RCST02158		ET 15	281	335	10	27 / 32
RCST02175		ET 15	221	275	8	21.5 / 27
RCST02192		ET 15	221	275	8	27 / 32
RCST02167		ET 153	390	430	12	17
RCST02170		ET 25	152.4	203.2	8	19
RCST02161		ET 30	281	335	10	27 / 32
RCST02146		ET 45	150.5	203.2	8	19.8
RCST02174		ET 50	281	335	10	27 / 32
RCST02188		ET 50	395	450	10	22
RCST02180		ET 84	152.4	203.2	8	19 / 27
RCST02181		ET 84	140	203.2	8	20
RCST02182		ET 84	150.5	203.2	8	20
RCST02195		ET 90	281	335	10	27 / 32
RCST02143		ET 0	281	335	10	27 / 32
RCST02185		ET 0	281	335	10	24
RCST02147		ET 0	221	275	8	21.5 / 27
RCST02171		ET (-) 80.5	152.4	203.2	8	19

Agricultural Wheels						
Rimconn PN	Wheel Size	Offset / Inset (ET) (mm)	Center Hole Dia (mm)	PCD (mm)	Number of Stud Holes	Bolt Hole Dia. (mm)
RCST02203	DW16Lx34	ET (-) 47.5	152.4	203.2	8	19
RCST02201		ET (-) 48	221	275	8	24
RCST02210		ET (-) 48	221	275	8	21.5 / 27
RCST02214		ET (-) 56.5	152.4	203.2	8	19
RCST02204		ET (-) 60	368	420	12	24
RCST02205		ET (-) 61	170	220	8	27 / 32
RCST02208		ET (-) 70	152.4	203.2	8	19
RCST02209		ET 125	199.5	250	8	24 / 30
RCST02202		ET 35	281	335	10	27 / 32
RCST02199		ET 68	199.5	250	8	24 / 30
RCST02211		ET 33.5	368	415	12	24 / 30
RCST02217		ET 0	221	275	8	27 / 32
RCST02222	DW18Lx34	ET (-) 25	152.4	203.2	8	19
RCST02224		ET (-) 48	386	450	8	26
RCST02219		ET (-) 50	221	275	8	21.5
RCST02223		ET (-) 50	152.4	203.2	8	21.5
RCST02221		ET (-) 75	281	335	10	23
RCST02220		ET (-) 80	152.4	203.2	8	19
RCST02218		ET 36	149.7	203.2	8	19.8
RCST02225	DW20Bx34	ET 0	281	335	10	27 / 32
RCST02226		ET (-) 50	281	335	10	27 / 32
RCST02227	DW23Bx34	ET (-) 40	281	335	10	27 / 32
RCST02228		ET (-) 70	281	335	10	25.4
RCST02229		ET (-) 15	281	335	10	25.4
RCST02230		ET 0	281	335	10	27 / 32
RCST02231		ET (-) 50	281	335	10	27 / 32
RCST02238	W7x36	ET (-) 30	152.4	203.2	8	19
RCST02234		ET 40	161	205	6	21.5 / 27
RCST02235		ET 40	221	275	8	24 / 32
RCST02233		ET 70	221	275	8	21.5 / 27
RCST02237		ET 70	161	205	6	21.5
RCST02251	W8x36	ET (-) 100	281	335	10	27 / 32
RCST02260		ET (-) 30	152.4	203.2	8	21.5 / 27
RCST02263		ET 125	98	140	5	14
RCST02256		ET 16	221	275	8	20
RCST02259		ET 30	221	275	8	21.5 / 27
RCST02252		ET 40	221	275	8	24 / 32
RCST02261		ET 60	161	205	6	21.5 / 27
RCST02242		ET 70	221	275	8	21.5 / 27
RCST02254		ET 75	221	275	8	22
RCST02255		ET 75	161	205	6	20
RCST02262		ET 90	161	205	6	21.5 / 27
RCST02243		ET 0	221	275	8	21.5
RCST02265		ET 0	161	205	6	21.5 / 27
RCST02266	W10x36	ET (-) 17.5	152.4	203.2	8	19
RCST02267		ET 100	390	430	10	17
RCST02273	W11x36	ET 100	221	275	8	21.5
RCST02272		ET 14	223	275	8	21.5 / 27
RCST02270		ET 0	221	275	8	21.5 / 27
RCST02269		ET 0	161	205	6	21.5 / 27
RCST02274	W12x36	ET 125	152.4	203.2	8	21
RCST02275		ET 21.5	152.4	203.2	8	21.5 / 32

Agricultural Wheels

Rimconn PN	Wheel Size	Offset / Inset (ET) (mm)	Center Hole Dia (mm)	PCD (mm)	Number of Stud Holes	Bolt Hole Dia. (mm)
RCST02276	W8x38	ET 75	281	335	10	24
RCST02277		ET 110	221	275	8	21.5 / 27
RCST02284	W10x38	ET (-) 14	390	430	12	17
RCST02289		ET (-) 50	161	205	6	20
RCST02281		ET (-) 70	152.4	203.2	8	19 / 24
RCST02290		ET 105	221	275	8	21.5
RCST02283		ET 20	221	275	8	22
RCST02280		ET 33	223	275	8	27 / 32
RCST02291		ET 40	152.4	203.2	8	17
RCST02288		ET 63	221	275	8	22
RCST02279		ET 70	221	275	8	21.5 / 27
RCST02282		ET 75	161	205	6	20
RCST02286		ET 75	221	275	8	22
RCST02287		ET 88	221	275	8	22
RCST02278		ET 95	152.4	203.2	8	19
RCST02292		ET 96	371	425	12	27 / 32
RCST02295	DW11Lx38	ET 125	199.5	250	8	24 / 30
RCST02296		ET (-) 95	221	275	8	21.5 / 27
RCST02303	DW12x38	ET (-) 110	221	275	8	21 / 27
RCST02306		ET (-) 25	221	275	8	21.5 / 27
RCST02312		ET (-) 30	161	205	6	21.5
RCST02310		ET (-) 32	152.4	203.2	8	19
RCST02313		ET (-) 80	152.4	203.2	8	20
RCST02301		ET 100	221	275	8	21.5 / 27
RCST02302		ET 110	390	430	12	17
RCST02299		ET 70	221	275	8	21.5 / 27
RCST02305		ET 70	221	275	8	21.5
RCST02300		ET 75	152.4	203.2	8	19
RCST02304		ET 0	161	205	6	24
RCST02319	DW14Lx38	ET 100	221	275	8	21.5 / 27
RCST02315		ET 110	221	275	8	27 / 32
RCST02314		ET 125	199.5	250	8	24 / 30
RCST02320		ET 14	223	275	8	21.5 / 27
RCST02316		ET 20	221	275	8	21.5 / 27
RCST02318		ET 70	221	275	8	21.5 / 27
RCST02321		ET 80	221	275	8	21.5 / 27
RCST02336	DW15Lx38	ET (-) 100	221	275	8	21.5
RCST02346		ET (-) 151	390	430	12	17
RCST02353		ET (-) 25	281	335	10	27 / 32
RCST02354		ET (-) 32	152.4	203.2	8	19.5
RCST02335		ET (-) 50	281	335	10	27 / 32
RCST02356		ET (-) 50	221	275	8	24
RCST02329		ET (-) 60	221	275	8	21.5 / 27
RCST02349		ET (-) 70	221	275	8	21.5
RCST02351		ET (-) 70	221	275	8	21.5 / 27
RCST02347		ET (-) 75	385	430	12	17
RCST02326		ET (-) 98.5	221.5	275	8	27 / 32
RCST02331		ET 100	221	275	8	21.5 / 27
RCST02342		ET 100	385	430	12	17
RCST02327		ET 0	221	275	8	21.5 / 27
RCST02341		ET 20	139.7	203.2	8	19
RCST02348		ET 50	281	335	10	27 / 32

Agricultural Wheels

Rimconn PN	Wheel Size	Offset / Inset (ET) (mm)	Center Hole Dia (mm)	PCD (mm)	Number of Stud Holes	Bolt Hole Dia. (mm)
RCST02360	DW16Lx38	ET (-) 101	221	275	8	27 / 32
RCST02367		ET (-) 120	152.4	203.2	8	20
RCST02368		ET (-) 28.5	152.4	203.2	8	19
RCST02376		ET (-) 40	140	203.2	8	20
RCST02383		ET (-) 48	221	275	8	27 / 32
RCST02380		ET (-) 50	281	335	10	27 / 32
RCST02375		ET (-) 51	152.4	203.2	8	19
RCST02358		ET (-) 65	221	275	8	24
RCST02359		ET (-) 68.5	221	275	8	27 / 32
RCST02364		ET (-) 75	385	430	12	17
RCST02366		ET (-) 80	221	275	8	21.5
RCST02357		ET (-) 98	221	275	8	24
RCST02374		ET (-) 98.5	221	275	8	27 / 32
RCST02371		ET 172	140	203.2	8	21
RCST02377		ET 26	221	275	8	27 / 32
RCST02369		ET 30	281	335	10	27 / 32
RCST02363		ET 52	221	275	8	24
RCST02370		ET 80	281	335	10	27 / 32
RCST02361		ET 0	221	275	8	21.5
RCST02362		ET 0	199.5	250	8	24 / 30
RCST02382		ET 0	281	335	10	27 / 32
RCST02389	DW18Lx38	ET (-) 12	221	275	8	24
RCST02401		ET (-) 120	152.4	203.2	8	22
RCST02398		ET (-) 130	221.5	275	8	27 / 32
RCST02421		ET (-) 136	152.4	203.2	8	21
RCST02414		ET (-) 137	390	430	12	17
RCST02408		ET (-) 175	152.4	203.2	8	24
RCST02400		ET (-) 20	281	335	10	24
RCST02426		ET (-) 20	152.4	203.2	8	21
RCST02396		ET (-) 25	221	275	8	22
RCST02397		ET (-) 25	140	203.2	8	20
RCST02411		ET (-) 25	140	203.2	8	20
RCST02419		ET (-) 33	221	275	8	24
RCST02391		ET (-) 45	281	335	10	27 / 32
RCST02410		ET (-) 45	281	335	10	27 / 32
RCST02420		ET (-) 45	281	335	10	27 / 32
RCST02425		ET (-) 45	281	335	10	26 / 32
RCST02422		ET (-) 48	221	275	8	27 / 32
RCST02385		ET (-) 50	221	275	8	27 / 32
RCST02386		ET (-) 50	335	580	10	27 / 32
RCST02402		ET (-) 50	221.5	275	8	27 / 32
RCST02405		ET (-) 50	281	335	10	27 / 32
RCST02418		ET (-) 50	281	335	10	27 / 32
RCST02403		ET (-) 80	221	275	8	27 / 32
RCST02399		ET 15	275	335	10	24
RCST02407		ET 50	431	485	10	24
RCST02387		ET 0	281	335	10	27 / 32
RCST02393		ET 0	281	335	10	27 / 32
RCST02409		ET 0	221.5	275	8	27 / 32
RCST02413		ET 0	221	275	8	24
RCST02423		ET 0	221	275	8	21.5
RCST02424		ET 0	281	335	10	26 / 32

Agricultural Wheels

Rimconn PN	Wheel Size	Offset / Inset (ET) (mm)	Center Hole Dia (mm)	PCD (mm)	Number of Stud Holes	Bolt Hole Dia. (mm)
RCST02439	DW20Bx38	ET (-) 145	390	430	12	17
RCST02436		ET (-) 20	281	335	8	24
RCST02435		ET (-) 25	140	203.2	8	20
RCST02432		ET (-) 70	221	275	8	24
RCST02434		ET (-) 90	221	275	8	21.5
RCST02438		ET 13	221	275	8	24
RCST02437		ET 70	281	335	10	27
RCST02440		ET 0	281	335	10	27
RCST02448	DW23Bx38	ET (-) 100	281	335	10	27 / 32
RCST02445		ET (-) 145	390	430	12	17
RCST02449		ET (-) 40	281	335	10	27 / 32
RCST02441		ET (-) 50	281	335	10	26
RCST02444		ET (-) 50	281	335	10	27 / 32
RCST02442		ET (-) 70	221	275	8	24
RCST02450		ET (-) 45	281	335	10	27 / 32
RCST02446		ET 90	370	425	12	26
RCST02443		ET 0	281	335	10	27 / 32
RCST02473	W8x42	ET (-) 14	390	430	12	17
RCST02453		ET (-) 50	221	275	8	24 / 30
RCST02477		ET (-) 50	161	205	6	20
RCST02455		ET 100	221	275	8	21.5 / 27
RCST02467		ET 100	281	335	10	27 / 32
RCST02469		ET 100	152.4	203.2	8	20.5
RCST02480		ET 124	221	275	8	21 / 27
RCST02466		ET 125	199.5	250	8	24 / 30
RCST02474		ET 125	161	205	6	16 / 20
RCST02481		ET 150	221	275	6	21.5 / 27
RCST02478		ET 20	221	275	8	22
RCST02459		ET 22	161	205	6	21.5 / 27
RCST02460		ET 33	223	275	8	27 / 32
RCST02470		ET 33	223	275	8	21.5 / 27
RCST02464		ET 38	161	205	6	21.5 / 27
RCST02456		ET 60	221	275	8	24 / 30
RCST02461		ET 60	161	205	6	21.5 / 27
RCST02457		ET 64	221	275	8	27 / 32
RCST02451		ET 70	160	220	8	27 / 32
RCST02463		ET 70	171	220	8	27 / 32
RCST02476		ET 75	161	205	6	20
RCST02479		ET 75	221	275	8	22
RCST02452		ET 80	199.5	250	8	24 / 30
RCST02454		ET 0	161	205	6	21.5 / 27
RCST02458		ET 0	281	335	8	21.5
RCST02484	W10x42	ET (-) 132	152.4	203.2	8	22
RCST02487		ET 105	221	275	8	22
RCST02486		ET 110	170	220	8	27 / 32
RCST02483		ET 125	390	430	12	17
RCST02488		ET 130	221	275	8	22
RCST02482		ET 65	221	275	8	21.5
RCST02485		ET 70	160	220	8	27 / 32
RCST02489	DW16Lx42	ET (-) 230	221	275	8	24
RCST02490		ET 185	221	275	8	24
RCST02491		ET 113	221	275	8	24

Agricultural Wheels

Rimconn PN	Wheel Size	Offset / Inset (ET) (mm)	Center Hole Dia (mm)	PCD (mm)	Number of Stud Holes	Bolt Hole Dia. (mm)
RCST02493	DW18Lx42	ET (-) 100	221	275	8	22
RCST02494		ET (-) 48	221	275	8	24
RCST02496		ET 66	281	335	10	22
RCST02495		ET 8	281	335	10	24
RCST02492		ET 0	281	335	10	27 / 32
RCST02501	DW20Bx42	ET (-) 100	221	275	8	24
RCST02508		ET (-) 145	390	430	12	17
RCST02518		ET (-) 60	221	275	8	22
RCST02504		ET (-) 70	221	275	8	24
RCST02505		ET 35	221	275	8	22
RCST02503		ET 50	431	485	10	24
RCST02510		ET 50	445	502	8	22
RCST02514		ET 6	221	275	8	22
RCST02499		ET 70	281	335	10	27 / 32
RCST02502		ET 0	221	275	8	22
RCST02500		ET 0	281	335	10	24
RCST02507		ET 0	281	335	10	27 / 32
RCST02519	DW23Bx42	ET (-) 100	221	275	8	24
RCST02520		ET (-) 145	390	430	12	17
RCST02521		ET (-) 40	281	335	10	27 / 32
RCST02522	W7x44	ET 100	151	203	8	20
RCST02523		ET 70	161	205	6	21.5 / 27
RCST02524		ET 70	221	275	8	21.5 / 27
RCST02528	W8x44	ET 100	281	480	10	12.5
RCST02529		ET 100	221	430	8	21.5 / 27
RCST02534		ET 100	221	275	8	21.4 / 27
RCST02533		ET 115	390	430	12	17
RCST02554		ET 125	221	275	8	21.5 / 27
RCST02551		ET 130	221	275	8	21.5 / 27
RCST02556		ET 130	161	205	6	21.5 / 27
RCST02541		ET 150	221	275	8	21.5 / 27
RCST02548		ET 150	152.4	203.2	8	19
RCST02552		ET 150	152.4	203.2	8	19 / 24
RCST02549		ET 33	223	275	8	21.5 / 27
RCST02553		ET 33	199.5	250	8	24 / 30
RCST02542		ET 45	221	275	8	21.5 / 27
RCST02555		ET 50	221	275	8	27 / 32
RCST02537		ET 60	161	205	8	21.5 / 27
RCST02526		ET 65	160	220	8	27 / 34
RCST02545		ET 69	281	335	10	27 / 32
RCST02525		ET 70	221	275	8	21.5 / 27
RCST02530		ET 70	151	203	8	20
RCST02532		ET 70	152.4	203.2	8	20
RCST02535		ET 70	221	275	8	21.5 / 27
RCST02536		ET 70	221	275	8	21.5
RCST02539		ET 70	161	205	6	21.5 / 27
RCST02540		ET 70	221	275	8	21.5 / 27
RCST02544		ET 70	221	275	8	27 / 32
RCST02550		ET 70	161	205	6	20
RCST02557		ET 75	221	275	8	21.5 / 27
RCST02558		ET 95	161	205	6	21.5 / 27
RCST02543		ET 0	221	275	8	21.5 / 27

Agricultural Wheels

Rimconn PN	Wheel Size	Offset / Inset (ET) (mm)	Center Hole Dia (mm)	PCD (mm)	Number of Stud Holes	Bolt Hole Dia. (mm)
RCST02567	W10x46	ET (-) 100	221	275	8	21.5 / 27
RCST02566		ET (-) 15	140	203.2	8	18
RCST02563		ET (-) 50	221	275	8	21.5 / 27
RCST02559		ET (-) 55	221	275	8	21.5 / 27
RCST02570		ET (-) 70	221	275	8	21.5
RCST02561		ET 160	152.4	203.2	8	22
RCST02562		ET 160	221	275	8	21.5 / 27
RCST02564		ET 160	390	430	12	17
RCST02571		ET 40	221	275	8	22
RCST02573		ET 50	221	275	8	27 / 32
RCST02565		ET 70	221	275	8	21.5
RCST02574		ET 50	221	275	8	27 / 32
RCST02575	W12x46	ET 160	152.4	203.2	8	22
RCST02578		ET 160	390	430	12	17
RCST02576		ET (-) 65	221	275	8	24
RCST02577		ET 70	221	275	8	21.5 / 27
RCST02589	W8x48	ET (-) 100	221	275	8	21.5 / 27
RCST02579		ET (-) 55	221	275	8	21.5 / 27
RCST02597		ET 105	221	275	8	21.5
RCST02585		ET 125	390	430	12	17
RCST02593		ET 15	281	335	10	24.5
RCST02582		ET 160	221	275	8	21.5 / 27
RCST02583		ET 160	152.4	203.2	8	19 / 24
RCST02592		ET 65	199.5	250	8	24 / 30
RCST02580		ET 70	221	275	8	21.5
RCST02584		ET 70	221	275	8	21.5 / 27
RCST02587		ET 70	221	275	8	27 / 32
RCST02588		ET 70	281	335	10	27 / 32
RCST02595		ET 70	161	205	6	21.5 / 27
RCST02596		ET 76.5	281	335	10	24.5
RCST02600	W10x48	ET (-) 60	221	275	8	27 / 32
RCST02607		ET (-) 70	221	275	8	21.5
RCST02599		ET 100	281	335	10	27 / 32
RCST02602		ET 160	152.4	203.2	8	19 / 24
RCST02601		ET 65	390	430	6	17
RCST02605		ET 65	199.5	250	8	24 / 30
RCST02603		ET 0	221	275	8	21.5 / 27
RCST02611	W12x48	ET (-) 70	281	335	10	27 / 32
RCST02614		ET (-) 82	221	275	8	21.5
RCST02609		ET 100	221	275	8	21.5 / 27
RCST02608		ET 55	221	275	8	21.5 / 27
RCST02610		ET 65	390	430	12	17
RCST02612		ET 70	221	275	8	21.5 / 27
RCST02613		ET 0	221	275	8	21.5 / 27
RCST02616	W12x50	(-)		-	-	-
RCST02617	W13x50	(-)	-	-	-	-
RCST02618	W10x52	(-)	-	-	-	-
RCST02619	W12x52	(-)	-	-	-	-
RCST02620	W8x54	(-)	-	-	-	-
RCST02621	W10x54	ET 15	281	335	10	24
RCST02622	W10x54	ET 6	281	335	10	27 / 32
RCST02623	W12x54	ET 45	281	335	10	22



KNOWLEDGE THAT CONNECTS!



www.rimconn.com